



Namik Kemal University

Citations

2007

v. 1.0

Lect. Ozcan Konur
Namik Kemal University Rectorate
Tekirdag, Turkey

July 2008

List of contents

INTRODUCTION	4
CITATIONS	15

List of tables

Tablo 1 Namik Kemal University citations 2007 frequency table.....	5
Tablo 2 Namik Kemal University citations 2007. Authors with more than 4 citations.....	7
Tablo 3 Namik Kemal University citations 2007. Authors with more than 4 citations.	
Departmental results.....	9
Tablo 4 Namik Kemal University citations 2007. Authors with more than 4 citations. Title results	11
Tablo 5 Namik Kemal University citations 2007. Authors with more than 4 citations. Control citations	12
Tablo 6 Namik Kemal University citations 2007. Data	15

List of figures

Şekil 1 Namik Kemal University citations 2007 frequency.....	4
Şekil 2 Namik Kemal University citations 2007. Authors with more than 4 citations	6
Şekil 3 citations. Departmental results	9

Konur, O. (2008) *Namik Kemal University Citations: 2007 Citations*, v. 1.0, 60 pp., July 2008 (Tekirdag, Turkey; Namik Kemal University). Lecturer Ozcan Konur, Namik Kemal University Rectorate. <http://www.nku.edu.tr/pgb/belgeler/universite/universite.html> [30/07/2008/2008]

NKU_Res_cits_Author_07_v1.0.doc

Abstract

- The Citations to the journal papers in 2007 published by the academic staff affiliated with the academic units of the Namik Kemal University between 1982 and 2007 were presented in this document, arranged on the basis of the paper authors. For each author, the number of papers cited, the total number of citations made in 2007, the number of net citations after deductions made for the self-citations and the repeat citations, the points for the net citations made after multiplying cit numbers with 2, and finally the control citation numbers found when only the refs cited facility used in locating citations for the authors with 2 or more citations. There were 251 citations made to the papers published by 78 authors in 2007. 22 authors had more than 4 citations in 2007. Prof. Dr. Muhammed Arici of the Department of Food Engineering had 19 net citations made to his 11 papers. Prof. Dr. Orhan Daglioglu and Prof. Dr. Mehmet Demirci of the same Department had each 12 citations made for 7 and 8 papers, respectively. Assist. Prof. Dr. Tuncay Gumus of the Department of Food Engineering, Assoc. Prof. Dr. Fatih Konukcu of the Department of Agricultural Structures and Irrigation, and Assoc. Prof. Dr. Metin Tuna of the Department of the Field Crops each had 9 citations made for 6, 8, and 5 papers, respectively. Additionally one author had 8 citations, 5 authors had each 7 citations, 4 authors had each 5 citations and 2 authors had each 5 citations. 7 Authors from the Department of Food Engineering, 5 authors from the Department of Agricultural Structures and Irrigation, 2 Authors from the Department of Plant Protection, and 1 author each from Department of Animal Science, Department of Field Crops, and Department of Mechanical Engineering had more than 4 citations in 2007. 7 Professors, 3 Associate Professors and 6 Assistant Professors had more than 4 citations in 2007. It was found that the process of locating the citations found directly using the cited ref facility of the Web of science database for the authors was not very efficient as established by this study. Similarly, the process of the use of the citation report facility was not efficient. The reasons for the degree of inefficiency included the lack of citations sometimes for the second and other authors, the presence of citations in other years' dabatabases and the spelling mistakes in the names of the authors, dates of publications etc. This scoping exercise was found to be helpful in locating the citations made for each study published by the authors affiliated with the academic units of the Namik Kemal University despite the presence of difficulties in locaitng papers in the first instance.

Key Words

- Namik Kemal University, citations, citation analysis, Authors

Introduction


The Citations to the journals papers in 2007 published by the academic staff affiliated with the academic units of the Namik Kemal University between 1982 and 2007 were presented in this document, arranged on the basis of the paper authors. For each author, the number of papers cited, the total number of citations made in 2007, the number of net citations after deductions made for the self-citations and the repeat citations, the points for the net citations made after multiplying citation numbers with 2, and finally the control citation numbers found when only the refs cited facility used locating citations for the authors with 2 or more citations.

The underlying studies were located in another study for the period between 1982 and 2008 and the citations were found using the “cited refs” facility of the Web of Science of the Science Citation Index and Social Sciences Citation Index databases as of 15 July 2008.

The citations located in this way were presented in the table 6 in order of the number of net citations and then in the order of the authors.

There were 251 citations made to the papers published by 78 authors in 2007 (See Table 1). 22 authors had more than 4 citations in 2007.

Şekil 1 Namik Kemal University citations 2007 frequency




Tablo 1 Namik Kemal University citations 2007 frequency table

Net cites	frequency
19	1
12	2
9	3
8	1
7	5
6	4
5	2
4	6
3	10
2	6
1	35
0	2
all	251

Prof. Dr. Muhammed Arici of the Department of Food Engineering had 19 net citations made to his 11 papers (See Table 2). Prof. Dr. Orhan Daglioglu and Prof. Dr. Mehmet Demirci of the same department had each 12 citations made for 7 and 8 papers, respectively. Assist. Prof. Dr. Tuncay Gumus of the Department of Food Engineering, Assoc. Prof. Dr. Fatih Konukcu of the Department of Agricultural Structures and Irrigation, and Assoc. Prof. Dr. Metin Tuna of the Department of the Field Crops each had 9 citations made for 6, 8, and 5 papers, respectively. Additionally one author had 8 citations, 5 authors had 7 citations, 4 authors had 56 citations and 2 authors had 5 citations.

Şekil 2 Namik Kemal University citations 2007. Authors with more than 4 citations




Tablo 2 Namik Kemal University citations 2007. Authors with more than 4 citations

	Author	Title	Department	Paper no	Total cits	Net cits	Point	Control cits
1	Arici, Muhammed	Prof. Dr.	Department of Food Engineering	11	19	19	38	14
2	Daglioglu, Orhan	Prof. Dr.	Department of Food Engineering	7	16	12	24	11
3	Demirci, Mehmet	Prof. Dr.	Department of Food Engineering	8	12	12	24	9
4	Gumus, Tuncay	Assist. Prof. Dr.	Department of Food Engineering	6	9	9	18	6
5	Konukcu, Fatih	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	8	17	9	18	5
6	Tuna, Metin.	Assoc. Prof. Dr	Department of Field Crops	5	10	9	18	10
7	Yilmaz, Ismail	Assist. Prof. Dr.	Department of Food Engineering	9	18	8	16	
8	Bal, Ugur	Assist. Prof. Dr.	Department of Horticulture	5	9	7	14	7
9	Citir, Ahmet	Prof. Dr.	Department of Plant Protection	3	13	7	14	7
10	Erdem, Yesim	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	4	8	7	14	5
11	Orta, A. Halim	Prof. Dr.	Department of Agricultural Structures and Irrigation	4	7	7	14	6
12	Simsek, Osman	Prof. Dr.	Department of Food Engineering	5	7	7	14	4
13	Akyol, Ugur	Assist. Prof. Dr.	Department of Mechanical Engineering	2	6	6	12	6
14	Kivan, Mujgan	Prof. Dr.	Department of Plant Protection	6	9	6	12	5
15	Kocaman, İbrahim	Assist. Prof. Dr.	Department of Agricultural Structures and Irrigation	3	6	6	12	1
16	Tasan, Murat	Assist. Prof. Dr.	Department of Food Engineering	5	7	6	12	5
17	Erdem, Tolga	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	3	5	5	10	5
18	Savas, Turker	Prof. Dr.	Department of Animal	7	8	5	10	6

		(former)	Science					
--	--	----------	---------	--	--	--	--	--

7 Authors from the Department of Food Engineering, 5 authors from the Department of Agricultural Structures and Irrigation, 2 Authors from the Department of Plant Protection, and 1 author each from Department of Animal Science, Department of Field Crops, and Department of Mechanical Engineering had more than 4 citations in 2007 (See Table 3).

Şekil 3 citations. Departmental results



Tablo 3 Namik Kemal University citations 2007. Authors with more than 4 citations. Departmental results

	Author	Title	Department	Paper no	Total cits	Net cits	Point	Control cits
5	Konukcu, Fatih	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	8	17	9	18	5
10	Erdem, Yesim	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	4	8	7	14	5
11	Orta, A. Halim	Prof. Dr.	Department of Agricultural Structures and Irrigation	4	7	7	14	6
15	Kocaman, İsrail	Assist. Prof. Dr.	Department of Agricultural Structures and Irrigation	3	6	6	12	1
17	Erdem, Tolga	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	3	5	5	10	5
18	Savas, Turker	Prof. Dr.	Department of Animal	7	8	5	10	6

		(former)	Science					
6	Tuna, Metin.	Assoc. Prof. Dr	Department of Field Crops	5	10	9	18	10
1	Arici, Muhammed	Prof. Dr.	Department of Food Engineering	11	19	19	38	14
2	Daglioglu, Orhan	Prof. Dr.	Department of Food Engineering	7	16	12	24	11
3	Demirci, Mehmet	Prof. Dr.	Department of Food Engineering	8	12	12	24	9
4	Gumus, Tuncay	Assist. Prof. Dr.	Department of Food Engineering	6	9	9	18	6
7	Yilmaz, Ismail	Assist. Prof. Dr.	Department of Food Engineering	9	18	8	16	
12	Simsek, Osman	Prof. Dr.	Department of Food Engineering	5	7	7	14	4
16	Tasan, Murat	Assist. Prof. Dr.	Department of Food Engineering	5	7	6	12	5
8	Bal, Ugur	Assist. Prof. Dr.	Department of Horticulture	5	9	7	14	7
13	Akyol, Ugur	Assist. Prof. Dr.	Department of Mechanical Engineering	2	6	6	12	6
9	Citir, Ahmet	Prof. Dr.	Department of Plant Protection	3	13	7	14	7
14	Kivan, Mujgan	Prof. Dr.	Department of Plant Protection	6	9	6	12	5

7 Professors, 3 Associate Professors and 6 Assistant Professors had more than 4 citations in 2007 (see Table 4).

Tablo 4 Namik Kemal University citations 2007. Authors with more than 4 citations. Title results

	Author	Title	Department	Paper no	Total cits	Net cits	Point	Control cits
18	Savas, Turker	Prof. Dr. (former)	Department of Animal Science	7	8	5	10	6
1	Arici, Muhammed	Prof. Dr.	Department of Food Engineering	11	19	19	38	14
2	Daglioglu, Orhan	Prof. Dr.	Department of Food Engineering	7	16	12	24	11
3	Demirci, Mehmet	Prof. Dr.	Department of Food Engineering	8	12	12	24	9
9	Citir, Ahmet	Prof. Dr.	Department of Plant Protection	3	13	7	14	7
11	Orta, A. Halim	Prof. Dr.	Department of Agricultural Structures and Irrigation	4	7	7	14	6
12	Simsek, Osman	Prof. Dr.	Department of Food Engineering	5	7	7	14	4
14	Kivan, Mujgan	Prof. Dr.	Department of Plant Protection	6	9	6	12	5
5	Konukcu, Fatih	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	8	17	9	18	5
10	Erdem, Yesim	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	4	8	7	14	5
17	Erdem, Tolga	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	3	5	5	10	5
6	Tuna, Metin.	Assoc. Prof. Dr	Department of Field Crops	5	10	9	18	10
4	Gumus, Tuncay	Assist. Prof. Dr.	Department of Food Engineering	6	9	9	18	6
7	Yilmaz, Ismail	Assist. Prof. Dr.	Department of Food Engineering	9	18	8	16	
8	Bal, Ugur	Assist. Prof. Dr.	Department of Horticulture	5	9	7	14	7
13	Akyol, Ugur	Assist. Prof. Dr.	Department of Mechanical Engineering	2	6	6	12	6
15	Kocaman, İsrafil	Assist. Prof. Dr.	Department of Agricultural Structures and Irrigation	3	6	6	12	1
16	Tasan, Murat	Assist.	Department of Food	5	7	6	12	5

		Prof. Dr.	Engineering					
--	--	-----------	-------------	--	--	--	--	--

It was found that the process of locating the citations found directly using the cited ref facility for the authors was not very efficient as established by this study (See Table 5). The citations found in this way were presented in the last column of the Table. For example, Prof. Dr. Muhammed Arici had 19 net cits in the current scoping exercise but it was found to have 14 citations in the other way.

Tablo 5 Namik Kemal University citations 2007. Authors with more than 4 citations. Control citations

no	Author	Title	Department	Paper no	Total citations	Net Citations	Control cits
1	Arici, Muhammed	Prof. Dr.	Department of Food Engineering	11	19	19	14
2	Daglioglu, Orhan	Prof. Dr.	Department of Food Engineering	7	16	12	11
3	Demirci, Mehmet	Prof. Dr.	Department of Food Engineering	8	12	12	9
4	Gumus, Tuncay	Assist. Prof. Dr.	Department of Food Engineering	6	9	9	6
5	Konukcu, Fatih	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	8	17	9	5
6	Tuna, Metin.	Assoc. Prof. Dr.	Department of Field Crops	5	10	9	10
7	Yilmaz, Ismail	Assist. Prof. Dr.	Department of Food Engineering	9	18	8	
8	Bal, Ugur	Assist. Prof. Dr.	Department of Horticulture	5	9	7	7
9	Citir, Ahmet	Prof. Dr.	Department of Plant Protection	3	13	7	7
10	Erdem, Yesim	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	4	8	7	
11	Orta, A. Halim	Prof. Dr.	Department of Agricultural Structures and Irrigation	4	7	7	6
12	Simsek, Osman	Prof. Dr.	Department of Food Engineering	5	7	7	4
13	Akyol, Ugur	Assist. Prof. Dr.	Department of Mechanical Engineering	2	6	6	6
14	Kivan, Mujgan	Prof. Dr.	Department of Plant Protection	6	9	6	5

15	Kocaman, İsrafil	Assist. Prof. Dr.	Department of Agricultural Structures and Irrigation	3	6	6	1
16	Tasan, Murat	Assist. Prof. Dr.	Department of Food Engineering	5	7	6	5
17	Erdem, Tolga	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	3	5	5	5
18	Savas, T.	Prof. Dr. (former)	Department of Animal Science	7	8	5	6
19	Akdemir, Serap	Assist. Prof. Dr.	Tekirdag Vocational College	1	4	4	0
20	Arin, Selcuk	Prof. Dr.	Department of Agricultural Machines	1	4	4	4
21	Kilic, Nihal	Assist. Prof. Dr.	Department of Plant Protection	3	4	4	3
22	Kurultay, Sefik	Prof. Dr.	Department of Food Engineering	2	4	4	3
23	Oksuz, Omer	Assist. Prof. Dr.	Department of Food Engineering	2	4	4	3
24	Soysal, M. Ihsan	Prof. Dr.	Department of Animal Science	3	4	4	4
25	Alpaslan, Mehmet	Former	Department of Food Engineering	3	3	3	3
26	Altin, Murat	Prof. Dr.	Department of Field crops	1	3	3	0
27	Bilgin, Bilal	Assist. Prof. Dr.	Department of Food Engineering	1	3	3	3
28	Dinçer, A. Riza	Assist. Prof. Dr.	Department of Environmental Engineering	2	3	3	4
29	İstanbuluoğlu, Ahmet	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	3	6	3	2
30	Kayisoglu, Birol	Prof. Dr.	Department of Agricultural Machines	2	3	3	3
31	Kayisoglu, Serap	Assist. Prof. Dr.	Tekirdag Vocational College	1	3	3	2
32	Koklu, Gassan	Assist. Prof. Dr.	Department of Plant Protection	4	5	3	4
33	Ozkan, Emel	Assist. Prof. Dr.	Department of Animal Science	2	3	3	2
34	Yuksel, A. Nedim	Prof. Dr.	Department of Agricultural Structures and Irrigation	1	3	3	2
35	Baser, Ismet	Prof. Dr.	Department of Field	3	3	2	1

			Crops				
36	Bayhan, Yilmaz	Assist. Prof. Dr.	Department of Agricultural Machines	1	2	2	1
37	Coskun, Fatma	Assist. Prof. Dr.	Department of Food Engineering	2	2	2	3
38	Coskuntuna, Levent	Assist. Prof. Dr.	Department of Animal Science	2	2	2	1
39	Gecgel, Umit	Assist. Prof. Dr.	Department of Food Engineering	2	2	2	2
40	Gonulol, Erkan	Assist. Prof. Dr.	Department of Agricultural Machines	1	2	2	2
41	Ozder, Nihal	Prof. Dr.	Department of Plant Protection	4	4	2	3

Similarly, the process of the use of the citation report facility was not efficient. The reasons for the degree of inefficiency in these alternative processes included the lack of citations sometimes for the second and other authors, the presence of citations in other years' databases and the spelling mistakes in the names of the authors, dates of publications etc.

However, there would be errors in the citations data depending on the availability of the errors in the underlying abstract study as sometimes there have been difficulties in determining whether the papers were published when the Authors were affiliated with the academic units of the Namik Kemal University.

Despite this setback, this scoping exercise was found to be helpful in locating the citations made for each study published by the authors affiliated with the academic units of the Namik Kemal University.

Citations

Tablo 6 Namik Kemal University citations 2007. Data

	Author	Title	Department	Paper no	Total cits	Net cits	Point	Citations	Control cits
1	Arici, Muhammed	Prof. Dr.	Department of Food Engineering	11	19	19	38	<p>Yilmaz, I.; Arici, M.; Gumus, T. (2005) Changes of microbiological quality in meatballs after heat treatment. <i>European Food Research and Technology</i>, 221(3-4), pp. 281-283.</p> <ul style="list-style-type: none"> ○ Karpinska-Tymoszczyk M (2007) Effects of sage extract (<i>Salvia Officinalis</i> L.) and a mixture of sage extract and sodium isoascorbate on the quality and shelf life of vacuum-packed turkey meatballs, <i>JOURNAL OF MUSCLE FOODS</i> 18 (4): 420-434. <p>Arici, M.; Bilgin, B.; Sagdic, O.; Ozdemir, C. (2004) Some characteristics of <i>Lactobacillus</i> isolates from infant faeces, <i>Food Microbiology</i>, 21(1), pp. 19-24.</p> <ul style="list-style-type: none"> ○ Buriti, FCA; Saad, SMI (2007) Bacteria of <i>Lactobacillus casei</i> group: characterization, viability as probiotic in food products and their importance for human health <i>ARCHIVOS LATINOAMERICANOS DE NUTRICION</i>, 57 (4): 373-380. ○ Beyatli, Y; Aslim, B; Onal, D; Bozkurt, H. (2007) Determination of some characteristic properties of lactic acid bacteria isolated from traditional hand-made yogurts <i>DEUTSCHE LEBENSMITTEL-RUNDSCHAU</i>, 103 (11): 517-522. ○ Khalil, R; Mahrous, H; El-Halafawy, K; Kamaly, K; Frank, J; El Soda, M (2007) Evaluation of the probiotic potential of lactic acid bacteria isolated from faeces of breast-fed infants in Egypt <i>AFRICAN JOURNAL OF BIOTECHNOLOGY</i>, 6 (7): 939-949. <p>Gumus, T.; Arici, M.; Demirci, M. (2004) A survey of barley, malt and beer contamination with ochratoxin A in Turkey, <i>Journal of the Institute of Brewing</i> 110(2), pp. 146-149.</p> <ul style="list-style-type: none"> ○ Mateo, R; Medina, A; Mateo, EM; Mateo, F; Jimenez, M (2007) An overview of ochratoxin A in beer and wine <i>INTERNATIONAL JOURNAL OF FOOD MICROBIOLOGY</i>, 119 (1-2): 79-83. 	14

								<ul style="list-style-type: none"> ○ Belajova, E; Rauova, D; Dasko, L (2007) Retention of ochratoxin A and fumonisin B1 and B2 from beer on solid surfaces: comparison of efficiency of adsorbents with different origin EUROPEAN FOOD RESEARCH AND TECHNOLOGY, 224 (3): 301-308. <p>Oksuz, O.; Arici, M.; Kurultay, S.; Gumus, T. (2004) Incidence of Escherichia coli O157 in raw milk and white pickled cheese manufactured from raw milk in Turkey, <i>Food Control</i>, 15(6), pp. 453-456.</p> <ul style="list-style-type: none"> ○ Sami, M; Firouzi, R; Shekarforoush, SS (2007) Prevalence of Escherichia coli O157 : H7 on dairy farms in Shiraz, Iran by immunomagnetic separation and multiplex PCR IRANIAN JOURNAL OF VETERINARY RESEARCH, 8 (4): 319-324. ○ Erkan, EM; Ciftcioglu, G; Vural, A; Aksu, H (2007) Some microbiological characteristics of herbed cheeses Source: JOURNAL OF FOOD QUALITY, 30 (2): 228-236. <p>Demirci, M., Arici, M., Gumus, T. (2003) Presence of patulin in fruit and fruit juices produced in Turke, [Vorkommen von Patulin in Fruchten und Fruchtsaften in der Turkei], <i>Ernahrungs-Umschau</i>, 50(7), pp. 262-263.</p> <ul style="list-style-type: none"> ○ Karaca, H; Velioglu, YS (2007) Ozone applications in fruit and vegetable processing Source: FOOD REVIEWS INTERNATIONAL, 23 (1): 91-106. <p>Arici, M.; Daglioglu, O. (2002) Boza: A lactic acid fermented cereal beverage as a traditional Turkish food. <i>Food Reviews International</i>, 18(1), pp. 39-48.</p> <ul style="list-style-type: none"> ○ Todorov, SD; Dicks, LMT (2007) Partial characterisation of two bacteriocins produced by Lactobacillus paracasei subsp paracasei ST242BZ and ST284BZ and the effect of medium components on their production, ANNALS OF MICROBIOLOGY, 57(3), pp. 363-368. ○ Todorov, SD; Dicks, LMT (2007) Bacteriocin production by Lactobacillus pentosus ST712BZ isolated from boza BRAZILIAN JOURNAL OF MICROBIOLOGY, 38 (1): 166-172. ○ Botes, A; Todorov, SD; von Mollendorff, JW; Botha, A; Dicks, LMT (2007) Identification of lactic acid bacteria and yeast from boza, PROCESS BIOCHEMISTRY, 42 (2): 267-270. <p>Daglioglu, O.; Arici, M.; Konyali, M.; Gumus, T. (2002) Effects of tarhana fermentation and drying methods on the fate of Escherichia coli O157:H7 and Staphylococcus aureus <i>Zeitschrift fur Lebensmittel Untersuchung und Forschung A, European Food Research and Technology</i>, 215(6), pp. 515-519.</p> <ul style="list-style-type: none"> ○ Yaghmaee, P; Durance, T (2007) Efficacy of vacuum microwave drying in microbial decontamination of dried vegetables DRYING TECHNOLOGY,
--	--	--	--	--	--	--	--	--

								<p>25 (4-6): 1099-1104.</p> <ul style="list-style-type: none"> ○ Ozdemir, S; Gocmen, D; Kumral, AY (2007) A traditional Turkish fermented cereal food: Tarhana FOOD REVIEWS INTERNATIONAL, 23 (2): 107-121. <p>Sagdic, O.; Arici, M.; Simsek, O. (2002) Selection of starters for a traditional Turkish yayik butter made from yoghurt, <i>Food Microbiology</i>, 19(4), pp. 303-312.</p> <ul style="list-style-type: none"> ○ Ozkan, G; Simsek, B; Kuleasan, H (2007) Antioxidant activities of Satureja cilicica essential oil in butter and in vitro JOURNAL OF FOOD ENGINEERING, 79 (4): 1391-1396. <p>Simsek, O.; Arici, M.; Demir, C. (2002) Mycoflora of hazelnut (<i>Corylus avellana</i> L.) and aflatoxin content in hazelnut kernels artificially infected with <i>Aspergillus parasiticus</i>, <i>Nahrung, Food</i>, 46(3), pp. 194-196.</p> <ul style="list-style-type: none"> ○ Vural, A; Aydin, A; Cakmak, O; Erkan, ME (2007) Determination of aflatoxin levels in consumed hazelnut cream in Istanbul, Turkey ASIAN JOURNAL OF CHEMISTRY, 19 (4): 3079-3084. <p>Arici, M.; Coskun, F. (2001) Hardaliye: fermented grape juice as a traditional Turkish beverage, <i>Food Microbiology</i>, 18(4), pp. 417-421.</p> <ul style="list-style-type: none"> ○ Lundstrom, HS; Bjorkroth, J (2007) Lactic acid bacteria in marinades used for modified atmosphere packaged broiler chicken meat products JOURNAL OF FOOD PROTECTION, 70 (3): 766-770. <p>Arici, M.; Simsek, O. (1991) Kültür kullanımının tulum peynirinin duyuşsal, fiziksel kimyasal ve mikrobiyolojik özelliklerine etkisi, <i>Gıda</i>, 16, pp. 53-62.</p> <ul style="list-style-type: none"> ○ Ceylan, ZG; Caglar, A; Cakmakci, S (2007) Some physicochemical, microbiological, and sensory properties of tulum cheese produced from ewe's milk via a modified method INTERNATIONAL JOURNAL OF DAIRY TECHNOLOGY, 60 (3): 191-197 ○ Hayaloglu, AA; Fox, PF; Guven, M; Cakmakci, S (2007) Cheeses of Turkey: 1. Varieties ripened in goat-skin bags LAIT, 87 (2): 79-95 	
2	Daglioglu, Orhan	Prof. Dr.	Department of Food Engineering	7	16	12	24	<p>Gumus, T; Daglioglu, O.; Konyali, A. M. (2005) Microbiological quality of cream-cakes sold in Tekirdag Province [Tekirdağ'da tüketime sunulan yaş pastaların mikrobiyolojik kalitesi], <i>Journal of Tekirdag Agricultural Faculty</i>, 2(3), pp. 215-220.</p> <ul style="list-style-type: none"> ○ Elmali, M; Ulukanli, Z; Yaman, H; Genctav, K (2007) Hygienic quality of cream pastries in Turkey ARCHIV FUR LEBENSMITTELHYGIENE, 58 (1): 14-+. <p>Daglioglu, O.; Tasan, M. (2003) Fatty acid composition of traditional fermented and unfermented Turkish corn bread with the emphasis on trans fatty acids, <i>Zeitschrift fur Lebensmittel Untersuchung und Forschung A, European Food Research and Technology</i>,</p>	11

							<p>217(2), pp. 125-127.</p> <ul style="list-style-type: none"> ○ Griguol, V; Leon-Camacho, M; Vicario, IM (2007) Review of the levels of trans fatty acids reported in different food products. <i>GRASAS Y ACEITES</i>, 58 (1): 87-98. <p>Yilmaz, I.; Daglioglu, O. (2003) The effect of replacing fat with oat bran on fatty acid composition and physicochemical properties of meatballs, <i>Meat Science</i>, 65(2), pp. 819-823.</p> <ul style="list-style-type: none"> ○ Choi, YS; Jeong, JY; Choi, JH; Han, DJ; Kim, HY; Lee, MA; Kim, HW; Shim, SY; Paik, HD; Kim, CJ (2007) Quality characteristics of meat batters containing dietary fiber extracted from rice bran KOREAN JOURNAL FOR FOOD SCIENCE OF ANIMAL RESOURCES, 27 (2): 228-234. ○ Yilmaz, I; Gecgel, U (2007) Effects of gamma irradiation on trans fatty acid composition in ground beef <i>FOOD CONTROL</i>, 18 (6): 635-638. ○ Yasarlar, EE; Daglioglu, O; Yilmaz, I (2007) Effects of cereal bran addition on chemical composition, cooking characteristics and sensory properties of Turkish meatballs <i>ASIAN JOURNAL OF CHEMISTRY</i>, 19 (3): 2353-2361. <p>Arici, M.; Daglioglu, O. (2002) Boza: A lactic acid fermented cereal beverage as a traditional Turkish food. <i>Food Reviews International</i>, 18(1), pp. 39-48.</p> <ul style="list-style-type: none"> ○ Todorov, SD; Dicks, LMT (2007) Partial characterisation of two bacteriocins produced by <i>Lactobacillus paracasei</i> subsp <i>paracasei</i> ST242BZ and ST284BZ and the effect of medium components on their production, <i>ANNALS OF MICROBIOLOGY</i>, 57(3), pp. 363-368. ○ Todorov, SD; Dicks, LMT (2007) Bacteriocin production by <i>Lactobacillus pentosus</i> ST712BZ isolated from boza <i>BRAZILIAN JOURNAL OF MICROBIOLOGY</i>, 38 (1): 166-172. ○ Botes, A; Todorov, SD; von Mollendorff, JW; Botha, A; Dicks, LMT (2007) Identification of lactic acid bacteria and yeast from boza, <i>PROCESS BIOCHEMISTRY</i>, 42 (2): 267-270. <p>Daglioglu, O.; Arici, M.; Konyali, M.; Gumus, T. (2002) Effects of tarhana fermentation and drying methods on the fate of <i>Escherichia coli</i> O157:H7 and <i>Staphylococcus aureus</i> <i>Zeitschrift fur Lebensmittel Untersuchung und Forschung A, European Food Research and Technology</i>, 215(6), pp. 515-519.</p> <ul style="list-style-type: none"> ○ Yaghmaee, P; Durance, T (2007) Efficacy of vacuum microwave drying in microbial decontamination of dried vegetables <i>DRYING TECHNOLOGY</i>, 25 (4-6): 1099-1104. 	
--	--	--	--	--	--	--	---	--

								<ul style="list-style-type: none"> ○ Ozdemir, S; Gocmen, D; Kumral, AY (2007) A traditional Turkish fermented cereal food: Tarhana FOOD REVIEWS INTERNATIONAL, 23 (2): 107-121. <p>Daglioglu, O. (2000) Tarhana as a traditional fermented cereal Turkish food. its recipe, production and composition. <i>Nahrung, Food</i>, 44(2), pp. 85-88</p> <ul style="list-style-type: none"> ○ Certel, M; Erbas, M; Uslu, MK; Erbas, MO (2007) Effects of fermentation time and storage on the water-soluble vitamin contents of tarhana JOURNAL OF THE SCIENCE OF FOOD AND AGRICULTURE, 87 (7): 1215-1218. ○ Ozdemir, S; Gocmen, D; Kumral, AY (2007) A traditional Turkish fermented cereal food: Tarhana FOOD REVIEWS INTERNATIONAL, 23 (2): 107-121. ○ Tamer, CE; Kumral, A; Asan, M; Sahin, I (2007) Chemical compositions of traditional Tarhana having different formulations JOURNAL OF FOOD PROCESSING AND PRESERVATION, 31 (1): 116-126. <p>Daglioglu, O.; Tasan, M.; Tuncel, B. (2000). Determination of fatty acid composition and total trans fatty acids of Turkish biscuits by capillary gas-liquid chromatography. <i>European Food Research and Technology</i>, 211(1), pp. 41-44</p> <ul style="list-style-type: none"> ○ Karabulut, I (2007) Fatty acid composition of frequently consumed foods in Turkey with special emphasis on trans fatty acids INTERNATIONAL JOURNAL OF FOOD SCIENCES AND NUTRITION, 58 (8): 619-628. ○ Griguol, V; Leon-Camacho, M; Vicario, IM (2007) Review of the levels of trans fatty acids reported in different food products. GRASAS Y ACEITES, 58 (1): 87-98. ○ Priego-Capote, F; Ruiz-Jimenez, J; De Castro, MDL (2007) Identification and quantification of trans fatty acids in bakery products by gas chromatography-mass spectrometry after focused microwave Soxhlet extraction FOOD CHEMISTRY, 100 (2): 859-867. 	
3	Demirci, Mehmet	Prof. Dr.	Department of Food Engineering	8	12	12	24	<p>Geegel, U.; Demirci, M.; Esendal, E.; Tasan, M. (2007) Fatty acid composition of the oil from developing seeds of different varieties of safflower (<i>carthamus tinctorius</i> L.), <i>Journal of the American Oil Chemists' Society</i>, 84(1), pp. 47-54.</p> <ul style="list-style-type: none"> ○ Haghghi, B; Feizy, J; Kakhki, AH (2007) LC determination of adulterated saffron prepared by adding styles colored with some natural colorants CHROMATOGRAPHIA, 66 (5-6): 325-332. <p>Tasan, M.; Demirci, M. (2005) Total and individual tocopherol contents of sunflower oil at different steps of refining, <i>European Food Research and Technology</i>, 220(3-4), pp. 251-254.</p>	9

								<ul style="list-style-type: none"> ○ Gallegos-Infante, JA; Rocha-Guzman, NE; Gonzalez-Laredo, RF; Gomez-Sanchez, D; Zuno-Florian, F; Vidana-Martinez, SA (2007) The quality of vegetable oil from three varieties of sunflower seeds (<i>helianthus annuus</i>), <i>JOURNAL OF FOOD QUALITY</i>, 30 (4): 413-423 <p>Gumus, T.; Arici, M.; Demirci, M. (2004) A survey of barley, malt and beer contamination with ochratoxin a in Turkey, <i>Journal of the Institute of Brewing</i> 110(2), pp. 146-149.</p> <ul style="list-style-type: none"> ○ Mateo, R; Medina, A; Mateo, EM; Mateo, F; Jimenez, M (2007) An overview of ochratoxin A in beer and wine <i>INTERNATIONAL JOURNAL OF FOOD MICROBIOLOGY</i>, 119 (1-2): 79-83. ○ Belajova, E; Rauova, D; Dasko, L (2007) Retention of ochratoxin A and fumonisin B1 and B2 from beer on solid surfaces: comparison of efficiency of adsorbents with different origin <i>EUROPEAN FOOD RESEARCH AND TECHNOLOGY</i>, 224 (3): 301-308. <p>Sagdic, O.; Donmez, M.; Demirci, M. (2004) Comparison of characteristics and fatty acid profiles of traditional Turkish yayik butters produced from goats', ewes' or cows' milk, <i>Food Control</i>, 15 (6), pp. 485-490.</p> <ul style="list-style-type: none"> ○ Pandya, AJ; Ghodke, KM (2007) Goat and sheep milk products other than cheeses and yoghurt <i>SMALL RUMINANT RESEARCH</i>, 68 (1-2): 193-206. ○ Karoui, R; De Baerdemaeker, J (2007) A review of the analytical methods coupled with chemometric tools for the determination of the quality and identity of dairy products <i>FOOD CHEMISTRY</i>, 102 (3): 621-640. <p>Demirci, M., Arici, M., Gumus, T. (2003) Presence of patulin in fruit and fruit juices produced in Turke, [Vorkommen von Patulin in Fruchten und Fruchtsaften in der Turkei], <i>Ernahrungs-Umschau</i>, 50(7), pp. 262-263.</p> <ul style="list-style-type: none"> ○ Karaca, H; Velioglu, YS (2007) Ozone applications in fruit and vegetable processing Source: <i>FOOD REVIEWS INTERNATIONAL</i>, 23 (1): 91-106. <p>Kayisoglu, S.; Yilmaz, I.; Demirci, M.; Yetim, H. (2003) Chemical composition and microbiological quality of the doner kebabs sold in Tekirdag market, <i>Food Control</i>, 14(7), pp. 469-474.</p> <ul style="list-style-type: none"> ○ Ergonul, B; Kundakci, A (2007) Changes in quality attributes of turkey doner during frozen storage <i>JOURNAL OF MUSCLE FOODS</i>, 18 (3): 285-293. ○ Currie, A; NacDonald, J; Ellis, A; Siushansian, J; Chui, L; Charlebois, M; Peermohamed, M; Everett, D; Fehr, M; Ng, LK; Invest Team (2007) Outbreak of <i>Escherichia coli</i> O157 : H7 infections associated with
--	--	--	--	--	--	--	--	--

								<p>consumption of beef donair JOURNAL OF FOOD PROTECTION, 70 (6): 1483-1488.</p> <ul style="list-style-type: none"> ○ Pexara, A; Ambrosiadis, I; Georgakis, S; Genigeorgis, C; Batzios, C (2007) Basic parameters of a new production technology for "gyros". A shelf life study of the product at 4 degrees C JOURNAL OF FOOD ENGINEERING, 79 (2): 681-688. <p>Tasan, M.; Demirci, M. (2003) Trans FA in sunflower oil at different steps of refining, <i>Journal of the American Oil Chemists' Society</i>, 80(8), pp. 825-828.</p> <ul style="list-style-type: none"> ○ Martin, CA; Milinsk, MC; Visentainer, JV; Matsushita, M; De-Souza, NE (2007) Trans fatty acid-forming processes in foods: a review ANAIS DA ACADEMIA BRASILEIRA DE CIENCIAS, 79 (2): 343-350. <p>Yilmaz, I.; Demirci, M. (1995) A research on determining of the physical, chemical and microbiological properties of Tekirdag meatball. [Tekirdag koftesinin fiziksel, kimyasal ve mikrobiyolojik ozelliklerinin belirlenmesi uzerine bir arastirma] <i>Journal of Tekirdag Agricultural Faculty</i>, 4(1-2), pp. 17-29</p> <ul style="list-style-type: none"> ○ Yasarlar, EE, E. E.; Daglioglu, O.; Yilmaz, I. (2007) Effects of cereal bran addition on chemical composition, cooking characteristics and sensory properties of Turkish meatballs ASIAN JOURNAL OF CHEMISTRY, 19 (3): 2353-2361. 	
4	Gumus, Tuncay	Assist. Prof. Dr.	Department of Food Engineering	6	9	9	18	<p>Yilmaz, I.; Arici, M.; Gumus, T. (2005) Changes of microbiological quality in meatballs after heat treatment. <i>European Food Research and Technology</i>, 221(3-4), pp. 281-283.</p> <ul style="list-style-type: none"> ○ Karpinska-Tymoszczyk M (2007) Effects of sage extract (Salvia Officinalis L.) and a mixture of sage extract and sodium isoascorbate on the quality and shelf life of vacuum-packed turkey meatballs, JOURNAL OF MUSCLE FOODS 18 (4): 420-434. <p>Gumus, T; Daglioglu, O.; Konyali, A. M. (2005) Microbiological quality of cream-cakes sold in Tekirdag Province [Tekirdag'da tuketime sunulan yas pastalarin mikrobiyolojik kalitesi], <i>Journal of Tekirdag Agricultural Faculty</i>, 2(3), pp. 215-220.</p> <ul style="list-style-type: none"> ○ Elmali, M; Ulukanli, Z; Yaman, H; Genctav, K (2007) Hygienic quality of cream pastries in Turkey ARCHIV FUR LEBENSMITTELHYGIENE, 58 (1): 14-+. <p>Gumus, T.; Arici, M.; Demirci, M. (2004) A survey of barley, malt and beer contamination with ochratoxin a in Turkey, <i>Journal of the Institute of Brewing</i> 110(2), pp. 146-149.</p> <ul style="list-style-type: none"> ○ Mateo, R; Medina, A; Mateo, EM; Mateo, F; Jimenez, M (2007) An overview of ochratoxin A in beer and wine INTERNATIONAL 	6

								<p>JOURNAL OF FOOD MICROBIOLOGY, 119 (1-2): 79-83.</p> <ul style="list-style-type: none"> ○ Belajova, E; Rauova, D; Dasko, L (2007) Retention of ochratoxin A and fumonisin B1 and B2 from beer on solid surfaces: comparison of efficiency of adsorbents with different origin EUROPEAN FOOD RESEARCH AND TECHNOLOGY, 224 (3): 301-308. <p>Oksuz, O.; Arici, M.; Kurultay, S.; Gumus, T. (2004) Incidence of Escherichia coli O157 in raw milk and white pickled cheese manufactured from raw milk in Turkey, <i>Food Control</i>, 15(6), pp. 453-456.</p> <ul style="list-style-type: none"> ○ Sami, M; Firouzi, R; Shekarforoush, SS (2007) Prevalence of Escherichia coli O157 : H7 on dairy farms in Shiraz, Iran by immunomagnetic separation and multiplex PCR IRANIAN JOURNAL OF VETERINARY RESEARCH, 8 (4): 319-324. ○ Erkan, EM; Ciftcioglu, G; Vural, A; Aksu, H (2007) Some microbiological characteristics of herbed cheeses Source: JOURNAL OF FOOD QUALITY, 30 (2): 228-236. <p>Demirci, M., Arici, M., Gumus, T. (2003) Presence of patulin in fruit and fruit juices produced in Turke, [Vorkommen von Patulin in Fruchten und Fruchtsaften in der Turkei], <i>Ernahrungs-Umschau</i>, 50(7), pp. 262-263.</p> <ul style="list-style-type: none"> ○ Karaca, H; Velioglu, YS (2007) Ozone applications in fruit and vegetable processing Source: FOOD REVIEWS INTERNATIONAL, 23 (1): 91-106. <p>Daglioglu, O.; Arici, M.; Konyali, M.; Gumus, T. (2002) Effects of tarhana fermentation and drying methods on the fate of Escherichia coli O157:H7 and Staphylococcus aureus <i>Zeitschrift fur Lebensmittel Untersuchung und Forschung A, European Food Research and Technology</i>, 215(6), pp. 515-519.</p> <ul style="list-style-type: none"> ○ Yaghmaee, P; Durance, T (2007) Efficacy of vacuum microwave drying in microbial decontamination of dried vegetables DRYING TECHNOLOGY, 25 (4-6): 1099-1104. ○ Ozdemir, S; Gocmen, D; Kumral, AY (2007) A traditional Turkish fermented cereal food: Tarhana FOOD REVIEWS INTERNATIONAL, 23 (2): 107-121. 	
5	Konukcu, Fatih	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	8	17	9	18	<p>Gowing, J. W.; Konukcu, F.; Rose, D. A. (2006) Evaporative flux from a shallow watertable: The influence of a vapour-liquid phase transition, <i>Journal of Hydrology</i>, 321(1-4), pp. 77-89.</p> <ul style="list-style-type: none"> ○ Konukcu, F (2007) Modification of the Penman method for computing bare soil evaporation HYDROLOGICAL PROCESSES, 21 (26): 3627-3634. ○ Giraud, A.; Giot, R.; Homand, F.; Koriche, A. (2007) Permeability 	5

								<p>identification of a weakly permeable partially saturated porous rock TRANSPORT IN POROUS MEDIA, 69 (2): 259-280.</p> <ul style="list-style-type: none"> ○ Tweed, SO; Leblanc, M.; Webb, JA; Lubczynski, MW (2007) Remote sensing and GIS for mapping groundwater recharge and discharge areas in salinity prone catchments, southeastern Australia HYDROGEOLOGY JOURNAL, 15 (1): 75-96. <p>Konukcu, F.; Gowing, J. W.; Rose, D. A. (2006) Dry drainage: A sustainable solution to waterlogging and salinity problems in irrigation areas? <i>Agricultural Water Management</i>, 83(1-2), pp. 1-12</p> <ul style="list-style-type: none"> ○ Mirjat MS, Rose DA, Adey MA (2008) Desalination by zone leaching: laboratory investigations in a model sand-tank AUSTRALIAN JOURNAL OF SOIL RESEARCH Volume: 46 Issue: 2 Pages: 91-100. <p>Rose, D. A.; Konukcu, F.; Gowing, J. W. (2005) Effect of watertable depth on evaporation and salt accumulation from saline groundwater, <i>Australian Journal of Soil Research</i>, 43(5), pp. 565-573.</p> <ul style="list-style-type: none"> ○ Konukcu F (2007) Modification of the Penman method for computing bare soil evaporation HYDROLOGICAL PROCESSES Volume: 21 Issue: 26 Pages: 3627-3634. ○ Katata, G; Nagai, H; Ueda, H; Agam, N; Berliner, PR (2007) Development of a land surface model including evaporation and adsorption processes in the soil for the land-air exchange in arid regions JOURNAL OF HYDROMETEOROLOGY Volume: 8 Issue: 6 Pages: 1307-1324. <p>Rose, D. A.; Konukcu, F.; Gowing, J. W. (2005) Effect of watertable depth on evaporation and salt accumulation from saline groundwater, <i>Australian Journal of Soil Research</i>, 43(5), pp. 565-573.</p> <ul style="list-style-type: none"> ○ Konukcu F (2007) Modification of the Penman method for computing bare soil evaporation HYDROLOGICAL PROCESSES Volume: 21 Issue: 26 Pages: 3627-3634. ○ Katata, G; Nagai, H; Ueda, H; Agam, N; Berliner, PR (2007) Development of a land surface model including evaporation and adsorption processes in the soil for the land-air exchange in arid regions JOURNAL OF HYDROMETEOROLOGY Volume: 8 Issue: 6 Pages: 1307-1324. <p>Konukcu, F.; Istanbuluoglu, A.; Kocaman, I. (2004) Determination of water content in drying soils: incorporating transition from liquid phase to vapour phase, <i>Australian Journal of Soil Research</i> 42(1), pp. 1-8</p> <ul style="list-style-type: none"> ○ Konukcu, F (2007) Modification of the Penman method for computing bare soil evaporation HYDROLOGICAL PROCESSES, 21 (26): 3627-
--	--	--	--	--	--	--	--	---

								<p>3634.</p> <ul style="list-style-type: none"> ○ Yepez, EA; Scott, RL; Cable, WL; Williams, DG (2007) Intraseasonal variation in water and carbon dioxide flux components in a semiarid riparian woodland ECOSYSTEMS, 10 (7): 1100-1115. <p>Konukcu, F.; Istanbuluoglu, A.; Kocaman, I. (2003) Simultaneous use of newly adopted simple sensors for continuous measurements of soil moisture and salinity, <i>Australian Journal of Soil Research</i>, 41(2), pp. 309-321</p> <ul style="list-style-type: none"> ○ Konukcu, F (2007) Modification of the Penman method for computing bare soil evaporation HYDROLOGICAL PROCESSES, 21 (26): 3627-3634. ○ Gowing, JW; Konukcu, F; Rose, DA (2006) Evaporative flux from a shallow watertable: The influence of a vapour-liquid phase transition JOURNAL OF HYDROLOGY, 321 (1-4): 77-89. ○ Nadler, A (2005) Methodologies and the practical aspects of the bulk soil EC (sigma(a)) - Soil solution EC (sigma(w)) relations ADVANCES IN AGRONOMY, VOL 88, 88: 273-312. Book series title: ADVANCES IN AGRONOMY <p>Konukcu, F.; Gowing, J. W.; Rose, D. A. (2002) Simple sensors to achieve fine spatial resolution in continuous measurements of soil moisture and salinity, <i>Hydrology and Earth System Sciences</i>, 6(6), pp. 1043-1051.</p> <ul style="list-style-type: none"> ○ Konukcu, F (2007) Modification of the Penman method for computing bare soil evaporation HYDROLOGICAL PROCESSES, 21 (26): 3627-3634. ○ Vandersypen, K; Keita, ACT; Coulibaly, B; Raes, D; Jamin, JY (2007) Drainage problems in the rice schemes of the Office du Niger (Mali) in relation to water management AGRICULTURAL WATER MANAGEMENT, 89 (1-2): 153-160. ○ Li, XG; Rengel, Z; Mapfumo, E (2007) Bhupinderpal-Singh (Bhupinderpal-Singh) Title: Increase in pH stimulates mineralization of 'native' organic carbon and nitrogen in naturally salt-affected sandy soils PLANT AND SOIL, 290 (1-2): 269-282. <p>Istanbuluoglu, A.; Konukcu, F.; Kocaman, I. (2002) Modification of Turc method to determine the water yields of sub-basins in Thrace region of Turkey, <i>Journal of Central European Agriculture</i>, 3(1), pp. 45-52.</p> <ul style="list-style-type: none"> ○ Aksoy, H (2007) Hydrological variability of the european part of turkey Source: IRANIAN JOURNAL OF SCIENCE AND TECHNOLOGY TRANSACTION B-ENGINEERING, 31 (B2): 225-236. 	
--	--	--	--	--	--	--	--	---	--

6	Tuna, Metin.	Assoc. Prof. Dr	Department of Field Crops	5	10	9	18	<p>Ozkan, H.; Tuna, M.; Galbraith, D. W. (2006) No DNA loss in autotetraploids of <i>Arabidopsis thaliana</i>, <i>Plant Breeding</i>, 125(3), pp. 288-291.</p> <ul style="list-style-type: none"> ○ Luan, L; Tu, SB; Long, WB; Wang, X; Liu, YH; Kong, FL; He, T; Yan, WG; Yu, MQ (2007) Cytogenetic studies on two F1 hybrids of autotetraploid rice varieties showing extremely high level of heterosis <i>PLANT SYSTEMATICS AND EVOLUTION</i>, 267 (1-4): 205-213. <p>Tuna, M.; Khadka, D. K.; Shrestha, M. K.; Arumuganathan, K.; A.; Golan-Goldhirsh, A. (2004) Characterization of natural orchardgrass (<i>Dactylis glomerata</i> L.) populations of the Thrace Region of Turkey based on ploidy and DNA polymorphisms, <i>Euphytica</i>, 135(1), pp. 39-46.</p> <ul style="list-style-type: none"> ○ Amirouche N, Misset MT (2007) Morphological variation and distribution of cytotypes in the diploid-tetraploid complex of the genus <i>Dactylis</i> L. (Poaceae) from Algeria <i>PLANT SYSTEMATICS AND EVOLUTION</i> Volume: 264 Issue: 3-4 Pages: 157-174. <p>Ozkan, H.; Tuna, M.; Arumuganathan, K. (2003) Non-additive changes in genome size during allopolyploidization in the wheat (<i>aegilops-triticum</i>) group. <i>Journal of Heredity</i>, 94(3) pp. 260-264.</p> <ul style="list-style-type: none"> ○ Goncharov, NP; Bannikova, SV; Kawahara, T (2007) Wheat artificial amphiploids involving the <i>Triticum timopheevii</i> genome: their studies, preservation and reproduction <i>GENETIC RESOURCES AND CROP EVOLUTION</i>, 54 (7): 1507-1516. ○ Negron-Ortiz, V (2007) Chromosome numbers, nuclear DNA content, and polyploidy in <i>Consolea</i> (Cactaceae), an endemic cactus of the Caribbean islands <i>AMERICAN JOURNAL OF BOTANY</i>, 94 (8): 1360-1370. ○ Grover, CE; Kim, H; Wing, RA; Paterson, AH; Wendel, JF (2007) Microcolinearity and genome evolution in the AdhA region of diploid and polyploid cotton (<i>Gossypium</i>) <i>PLANT JOURNAL</i>, 50 (6): 995-1006. ○ Martelotto, LG; Ortiz, JPA; Stein, J; Espinoza, F; Quarin, CL; Pessino, SC (2007) Genome rearrangements derived from autopolyploidization in <i>Paspalum</i> sp. <i>PLANT SCIENCE</i>, 172 (5): 970-977. ○ Vaio, M; Mazzella, C; Porro, V; Speranza, P; Lopez-Carro, B; Estramil, E; Folle, GA (2007) Nuclear DNA content in allopolyploid species and synthetic hybrids in the grass genus <i>Paspalum</i> <i>PLANT SYSTEMATICS AND EVOLUTION</i>, 265 (1-2): 109-121. 	10
---	--------------	--------------------	------------------------------	---	----	---	----	--	----

								<p>Tuna, M.; Vogel, K. P.; Arumuganathan, K.; Gill, K. S. (2001) DNA content and ploidy determination of bromegrass germplasm accessions by flow cytometry. <i>Crop Science</i>, 41(5), pp. 1629-1634.</p> <ul style="list-style-type: none"> ○ Negron-Ortiz, V (2007) Chromosome numbers, nuclear DNA content, and polyploidy in <i>Consoula</i> (Cactaceae), an endemic cactus of the Caribbean islands AMERICAN JOURNAL OF BOTANY, 94 (8): 1360-1370. ○ Adoukonou-Sagbadja, H; Schubert, V; Dansi, A; Jovtchev, G; Meister, A; Pistrick, K; Akpagana, K; Friedt, W (2007) Flow cytometric analysis reveals different nuclear DNA contents in cultivated <i>Fonio</i> (<i>Digitaria</i> spp.) and some wild relatives from West-Africa PLANT SYSTEMATICS AND EVOLUTION, 267 (1-4): 163-176. <p>Khandka, D. K.; Tuna, M.; Tal, M.; Nejidat, A.; Golan-Goldhirsh, A. (1997) Variability in the pattern of random amplified polymorphic DNA. <i>Electrophoresis</i>. 18, pp. 2852-2856.</p> <ul style="list-style-type: none"> ○ Brock, J; Aboling, S; Stelzer, R; Esch, E; Papenbrock, J (2007) Genetic variation among different populations of <i>Aster tripolium</i> grown on naturally and anthropogenic salt-contaminated habitats: implications for conservation strategies JOURNAL OF PLANT RESEARCH, 120 (1): 99-112. 	
7	Yilmaz, Ismail	Assist. Prof. Dr.	Department of Food Engineering	9	18	8	16	<p>Yilmaz, I.; Gecgel, U. (2007) Effects of gamma irradiation on trans fatty acid composition in ground beef, <i>Food Control</i>, 18(6), pp. 635-638.</p> <ul style="list-style-type: none"> ○ Erkan, N; Ozden, O (2007) The changes of fatty acid and amino acid compositions in sea bream (<i>Sparus aurata</i>) during irradiation process RADIATION PHYSICS AND CHEMISTRY, 76 (10): 1636-1641. <p>Yilmaz, I. (2005) Physicochemical and sensory characteristics of low fat meatballs with added wheat bran. <i>Journal of Food Engineering</i>, 69(3), pp. 369-373.</p> <ul style="list-style-type: none"> ○ Choi, YS; Jeong, JY; Choi, JH; Han, DJ;; Kim, HY; Lee, MA; Shim, SY; Paik, HD; Kim, CJ (2007) Quality characteristics of meat batters containing dietary fiber extracted from rice bran KOREAN JOURNAL FOR FOOD SCIENCE OF ANIMAL RESOURCES, 27 (2): 228-234. ○ Yilmaz I, Gecgel U (2007) Effects of gamma irradiation on trans fatty acid composition in ground beef, FOOD CONTROL 18 (6): 635-638. ○ Yasarlar EE, Daglioglu O, Yilmaz I (2007) Effects of cereal bran addition on chemical composition, cooking characteristics and sensory properties of Turkish meatballs, ASIAN JOURNAL OF CHEMISTRY 19 (3): 2353-2361. <p>Yilmaz, I.; Arici, M.; Gumus, T. (2005) Changes of microbiological quality in</p>	

							<p>meatballs after heat treatment. <i>European Food Research and Technology</i>, 221(3-4), pp. 281-283.</p> <ul style="list-style-type: none"> ○ Karpinska-Tymoszczyk M (2007) Effects of sage extract (<i>Salvia Officinalis</i> L.) and a mixture of sage extract and sodium isoascorbate on the quality and shelf life of vacuum-packed turkey meatballs, <i>JOURNAL OF MUSCLE FOODS</i> 18 (4): 420-434. <p>Yilmaz, I. (2004) Effects of rye bran addition on fatty acid composition and quality characteristics of low-fat meatballs, <i>Meat Science</i>, 67(2), pp. 245-249</p> <ul style="list-style-type: none"> ○ Turhan, S; Temiz, H; Sagir, I (2007) Utilization of wet okara in low-fat beef patties <i>JOURNAL OF MUSCLE FOODS</i>, 18 (2): 226-235 ○ Choi, YS; Jeong, JY; Choi, JH; Han, DJ; Kim, HY; Lee, MA; Shim, SY; Paik, HD; Kim, CJ (2007) Quality characteristics of meat batters containing dietary fiber extracted from rice bran, <i>KOREAN JOURNAL FOR FOOD SCIENCE OF ANIMAL RESOURCES</i>, 27(2), pp. 228-234. ○ Yilmaz, I; Gegel, U (2007) Effects of gamma irradiation on trans fatty acid composition in ground beef <i>FOOD CONTROL</i>, 18 (6): 635-638. ○ Yasarlal, EE; Daglioglu, O; Yilmaz, I (2007) Effects of cereal bran addition on chemical composition, cooking characteristics and sensory properties of Turkish meatballs <i>ASIAN JOURNAL OF CHEMISTRY</i>, 19 (3): 2353-2361. <p>Kayisoglu, S.; Yilmaz, I; Demirci, M.; Yetim, H. (2003) Chemical composition and microbiological quality of the doner kebabs sold in Tekirdag market, <i>Food Control</i>, 14(7), pp. 469-474.</p> <ul style="list-style-type: none"> ○ Ergonul, B; Kundakci, A (2007) Changes in quality attributes of turkey doner during frozen storage <i>JOURNAL OF MUSCLE FOODS</i>, 18 (3): 285-293. ○ Currie, A; NacDonald, J; Ellis, A; Siushansian, J; Chui, L; Charlebois, M; Peermohamed, M; Everett, D; Fehr, M; Ng, LK; Invest Team (2007) Outbreak of <i>Escherichia coli</i> O157 : H7 infections associated with consumption of beef donair <i>JOURNAL OF FOOD PROTECTION</i>, 70 (6): 1483-1488. ○ Pexara, A; Ambrosiadis, I; Georgakis, S; Genigeorgis, C; Batzios, C (2007) Basic parameters of a new production technology for "gyros". A shelf life study of the product at 4 degrees C <i>JOURNAL OF FOOD ENGINEERING</i>, 79 (2): 681-688. <p>Yilmaz, I; Daglioglu, O. (2003) The effect of replacing fat with oat bran on fatty acid composition and physicochemical properties of meatballs, <i>Meat Science</i>, 65(2), pp. 819-</p>	
--	--	--	--	--	--	--	--	--

							823.	<ul style="list-style-type: none"> ○ Choi, YS; Jeong, JY; Choi, JH; Han, DJ; Kim, HY; Lee, MA; Kim, HW; Shim, SY; Paik, HD; Kim, CJ (2007) Quality characteristics of meat batters containing dietary fiber extracted from rice bran KOREAN JOURNAL FOR FOOD SCIENCE OF ANIMAL RESOURCES, 27 (2): 228-234. ○ Yilmaz, I; Gecgel, U (2007) Effects of gamma irradiation on trans fatty acid composition in ground beef FOOD CONTROL, 18 (6): 635-638. ○ Yasarlar, EE; Daglioglu, O; Yilmaz, I (2007) Effects of cereal bran addition on chemical composition, cooking characteristics and sensory properties of Turkish meatballs ASIAN JOURNAL OF CHEMISTRY, 19 (3): 2353-2361. <p>Yilmaz, I. (2003) Gıdaların ışınlanması, <i>Biyotek, Biyoteknoloji Sektör Dergisi</i>, No. 12, pp. 33-35.</p> <ul style="list-style-type: none"> ○ Yilmaz, I; Gecgel, U (2007) Effects of gamma irradiation on trans fatty acid composition in ground beef FOOD CONTROL, 18 (6): 635-638. <p>Yilmaz, I.; Simsek, O., Isikli, M. (2002) Fatty acid composition and quality characteristics of low-fat cooked sausages made with beef and chicken meat, tomato juice and sunflower oil. <i>Meat Science</i> 62(2), pp. 253-258.</p> <ul style="list-style-type: none"> ○ Deda, MS; Bloukas, JG; Fista, GA (2007) Effect of tomato paste and nitrite level on processing and quality characteristics of frankfurters MEAT SCIENCE, 76 (3): 501-508. <p>Yilmaz, I.; Demirci, M. (1995) A research on determining of the physical, chemical and microbiological properties of Tekirdag meatball. [Tekirdag koftesinin fiziksel, kimyasal ve mikrobiyolojik özelliklerinin belirlenmesi üzerine bir araştırma] <i>Journal of Tekirdag Agricultural Faculty</i>, 4(1-2), pp. 17-29</p> <ul style="list-style-type: none"> ○ Yasarlar, EE, E. E.; Daglioglu, O.; Yilmaz, I. (2007) Effects of cereal bran addition on chemical composition, cooking characteristics and sensory properties of Turkish meatballs ASIAN JOURNAL OF CHEMISTRY, 19 (3): 2353-2361. 	
8	Bal, Ugur	Assist. Prof. Dr.	Department of Horticulture	5	9	7	14	<p>Bal, U.; Altintas, S. (2006) Effects of Trichoderma harzianum on yield and fruit quality of tomato plants (<i>Lycopersicon esculentum</i>) grown in an unheated greenhouse, <i>Australian Journal of Experimental Agriculture</i>, 46(1), pp. 131-136.</p> <ul style="list-style-type: none"> ○ Di Marco, S.; Osti, F. (2007) Applications of Trichoderma to prevent <i>Phaeomoniella chlamydospora</i> infections in organic nurseries, <i>PHYTOPATHOLOGIA MEDITERRANEA</i>, 46 (1): 73-83. <p>Shariatpanahi, M. E.; Bal, U.; Heberle-Bors, E.; Touraev, A. (2006) Stresses applied for</p>	7

							<p>the re-programming of plant microspores towards in vitro embryogenesis, <i>Physiologia Plantarum</i>, 127(4), pp. 519-534.</p> <ul style="list-style-type: none"> ○ Leskovsek, L; Jakse, M; Bohanec, B (2008) Doubled haploid production in rocket (<i>Eruca sativa</i> Mill.) through isolated microspore culture Source: PLANT CELL TISSUE AND ORGAN CULTURE, 93 (2): 181-189. ○ Labbani, Z; de Buysier, J; Picard, E (2007) Effect of mannitol pretreatment to improve green plant regeneration on isolated microspore culture in <i>Triticum turgidum</i> ssp durum cv. 'Jennah Khetifa' PLANT BREEDING, 126 (6): 565-568. ○ Soriano, M; Cistue, L; Valles, MP; Castillo, AM (2007) Effects of colchicine on anther and microspore culture of bread wheat (<i>Triticum aestivum</i> L.) PLANT CELL TISSUE AND ORGAN CULTURE, 91 (3): 225-234. ○ Malik, MR; Wang, F; Dirpaul, JM; Zhou, N; Polowick, PL; Ferrie, AMR; Krochko, JE (2007) Transcript profiling and identification of molecular markers for early microspore embryogenesis in <i>Brassica napus</i> PLANT PHYSIOLOGY, 144 (1): 134-154. ○ Segui-Simarro, JM; Nuez, F (2007) Embryogenesis induction, callogenesis, and plant regeneration by in vitro culture of tomato isolated microspores and whole anthers JOURNAL OF EXPERIMENTAL BOTANY, 58 (5): 1119-1132. <p>Bal, U.; Abak, K. (2005) Effects of sucrose, maltose, ph and phloroglucinol on the germination of globe artichoke pollen in vitro, <i>European Journal of Horticultural Science</i>, 70(3), pp. 142-148.</p> <ul style="list-style-type: none"> ○ Zhao, XG; Wang, WG; Li, YD; Xing, J; Chen, F; Wang, SH (2007) In vitro maturation and germination of <i>Orychophragmus violaceus</i> microspores, PLANT CELL TISSUE AND ORGAN CULTURE, 91 (1): 53-60. <p>Bal, U.; Abak, K. (2003) Attempts of haploidy induction in tomato (<i>Lycopersicon esculentum</i> Mill.) via gynogenesis II: In vitro non-fertilized ovary culture. <i>Pakistan Journal of Biological Sciences</i>, 6(8), pp. 750-755.</p> <ul style="list-style-type: none"> ○ Bal, U; Abak, K (2007): Haploidy in tomato (<i>Lycopersicon esculentum</i> Mill.): a critical review EUPHYTICA, 158 (1-2): 1-9. <p>Bal, U.; Abak, K. (2003) Attempts of haploidy induction in tomato (<i>lycopersicon esculentum</i> mill.) via gynogenesis I: pollination with <i>solanum sisymbriifolium</i> lam. polen, <i>Pakistan Journal of Biological Sciences</i>, 6(8), pp. 745-749.</p> <ul style="list-style-type: none"> ○ Bal, U; Abak, K (2007): Haploidy in tomato (<i>Lycopersicon esculentum</i> 	
--	--	--	--	--	--	--	--	--

								Mill.): a critical review EUPHYTICA, 158 (1-2): 1-9.	
9	Citir, Ahmet	Prof. Dr.	Department of Plant Protection	3	13	7	14	<p>Kozlakidis, Z.; Covelli, L.; Di Serio, F.; Citir, A.; Acikgoz, S.; Hernández, C.; Ragozzino, A.; Flores, R.; Coutts, R. H. A. (2006) Molecular characterization of the largest mycoviral-like double-stranded RNAs associated with Amasya cherry disease, a disease of presumed fungal aetiology, <i>Journal of General Virology</i>, 87(10), pp. 3113-3117.</p> <ul style="list-style-type: none"> ○ Acikgoz, S; Doken, MT; Degirmenci, NF; Coutts, RHA; Kozlakidis, Z. (2007) A modified procedure for isolating double-stranded RNA: Application to diagnosis of Amasya cherry disease JOURNAL OF PHYTOPATHOLOGY, 155 (11-12): 743-745. ○ Kozlakidis, Z; Citir, A.; Acikgoz, S; Coutts, RHA (2007) Development of a reverse transcription-polymerase chain reaction (RT-PCR) assay for the detection of Amasya cherry disease PLANT PATHOLOGY, 56 (6): 1032-1035. ○ Rao, JR; Nelson, DWA; McClean, S (2007) The enigma of double-stranded RNA (dsRNA) associated with mushroom virus X (MVX) CURRENT ISSUES IN MOLECULAR BIOLOGY, 9: 103-121. <p>Coutts, R. H. A.; Covelli, L.; di Serio, F.; Citir, A., Acikgoz, S., Hernandez, C., Ragozzino, A., Flores, R. (2004) Cherry chlorotic rusty spot and Amasya cherry diseases are associated with a complex pattern of mycoviral-like double-stranded RNAs. II. Characterization of a new species in the genus Partitivirus. <i>Journal of General Virology</i>, 85(11), pp. 3399-3403.</p> <ul style="list-style-type: none"> ○ Acikgoz, S; Doken, MT; Degirmenci, NF; Coutts, RHA; Kozlakidis, Z (2007) A modified procedure for isolating double-stranded RNA: Application to diagnosis of Amasya cherry disease JOURNAL OF PHYTOPATHOLOGY, 155 (11-12): 743-745. ○ Kozlakidis, Z; Citir, A.; Acikgoz, S; Coutts, RHA (2007) Development of a reverse transcription-polymerase chain reaction (RT-PCR) assay for the detection of Amasya cherry disease PLANT PATHOLOGY, 56 (6): 1032-1035. ○ Blawid, R; Stephan, D; Maiss, E (2007) Molecular characterization and detection of Vicia cryptic virus in different Vicia faba cultivars ARCHIVES OF VIROLOGY, 152 (8): 1477-1488. ○ Doherty, M; Sanganee, K; Kozlakidis, Z; Coutts, RHA; Brasier, CM; Buck, KW (2007) Molecular characterization of a totivirus and a partitivirus from the genus Ophiostoma JOURNAL OF PHYTOPATHOLOGY, 155 (3): 188-192. 	7

								<ul style="list-style-type: none"> ○ Rao, JR; Nelson, DWA; McClean, S (2007) The enigma of double-stranded RNA (dsRNA) associated with mushroom virus X (MVX) CURRENT ISSUES IN MOLECULAR BIOLOGY, 9: 103-121. <p>Covelli, L.; Coutts, R. H.; Di Serio, F.; Citir, A; Acikgoz, S.; Hernandez, C.; Ragozzino, A.; Flores, R. (2004) Cherry chlorotic rusty spot and Amasya cherry diseases are associated with a complex pattern of mycoviral-like double-stranded RNAs. I. Characterization of a new species in the genus Chrysovirus, <i>Journal of General Virology</i>, 85(Pt 11), pp. 3389-3397.</p> <ul style="list-style-type: none"> ○ Acikgoz, S; Doken, MT; Degirmenci, NF; Coutts, RHA; Kozlakidis, Z (2007) A modified procedure for isolating double-stranded RNA: Application to diagnosis of Amasya cherry disease JOURNAL OF PHYTOPATHOLOGY, 155 (11-12): 743-745. ○ Kozlakidis, Z; Citir, A; Acikgoz, S; Coutts, RHA (2007) Development of a reverse transcription-polymerase chain reaction (RT-PCR) assay for the detection of Amasya cherry disease PLANT PATHOLOGY, 56 (6): 1032-1035. ○ Blawid, R; Stephan, D; Maiss, E (2007) Molecular characterization and detection of Vicia cryptic virus in different Vicia faba cultivars ARCHIVES OF VIROLOGY, 152 (8): 1477-1488. ○ Liu, YC; Dynek, JN; Hillman, BI; Milgroom, MG (2007) Diversity of viruses in Cryphonectria parasitica and C-nitschkei in Japan and China, and partial characterization of a new chrysovirus species MYCOLOGICAL RESEARCH, 111: 433-442 Part 4. ○ Rao, JR; Nelson, DWA; McClean, S (2007) The enigma of double-stranded RNA (dsRNA) associated with mushroom virus X (MVX) CURRENT ISSUES IN MOLECULAR BIOLOGY, 9: 103-121. 	
10	Erdem, Yesim	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	4	8	7	14	<p>Erdem, T.; Erdem, Y.; Orta, H.; Okursoy, H. (2006) Water-yield relationships of potato under different irrigation methods and regimens, <i>Scientia Agricola</i>, 63(3), pp. 226-231.</p> <ul style="list-style-type: none"> ○ Ferreira TC, Goncalves DA (2007) Crop-yield/water-use production functions of potatoes (<i>Solanum tuberosum</i>, L.) grown under differential nitrogen and irrigation treatments in a hot, dry climate AGRICULTURAL WATER MANAGEMENT 90 (1-2): 45-55. <p>Baser, I.; Sehirali, S.; Orta, A. H.; Erdem, T.; Erdem, Y.; Yorgancilar, O. (2004) Effect of different water stresses on the yield and yield components of winter wheat. <i>Cereal Research Communications</i>, 32(2), pp. 217-223.</p> <ul style="list-style-type: none"> ○ Tumova, L; Rimakova, J; Tuma, J; Dusek, J. (2007) <i>Glycyrrhiza glabra</i> 	5

								<p>culture in vitro-saponin production CEREAL RESEARCH COMMUNICATIONS, 35 (2): 1233-1236 Part 2.</p> <p>Erdem, Y.; Yuksel, A. N. (2003) Yield response of watermelon to irrigation shortage, <i>Scientia Horticulturae</i>, 98(4), pp. 365-383.</p> <ul style="list-style-type: none"> o McCann, I; Kee, E; Adkins, J; Ernest, E; Ernest, J (2007) Effect of irrigation rate on yield of drip-irrigated seedless watermelon in a humid region SCIENTIA HORTICULTURAE, 113 (2): 155-161. o Shah, TN; Foley, HC; Zydney, AL (2007) Development and characterization of nanoporous carbon membranes for protein ultrafiltration, JOURNAL OF MEMBRANE SCIENCE, 295 (1-2): 40-49. o Fernandez, MD; Gonzalez, AM; Carreno, J; Perez, C; Bonachela, S (2007) Analysis of on-farm irrigation performance in Mediterranean greenhouses, AGRICULTURAL WATER MANAGEMENT, 89 (3): 251-260. <p>Orta, A. H.; Erdem, Y.; Erdem, T. (2003) Crop water stress index for watermelon, <i>Scientia Horticulturae</i>, 98(2), pp. 121-130.</p> <ul style="list-style-type: none"> o Kar, G; Kumar, A (2007) Surface energy fluxes and crop water stress index in groundnut under irrigated ecosystem AGRICULTURAL AND FOREST METEOROLOGY, 146 (1-2): 94-106. o Emekli, Y; Bastug, R; Buyuktas, D; Emekli, NY (2007) Evaluation of a crop water stress index for irrigation scheduling of bermudagrass AGRICULTURAL WATER MANAGEMENT, 90 (3): 205-212. o Fernandez, MD; Gonzalez, AM; Carreno, J; Perez, C; Bonachela, S (2007) Analysis of on-farm irrigation performance in Mediterranean greenhouses AGRICULTURAL WATER MANAGEMENT, 89 (3): 251-260. 	
11	Orta, A. Halim	Prof. Dr.	Department of Agricultural Structures and Irrigation	4	7	7	14	<p>Erdem, T.; Erdem, Y.; Orta, H.; Okursoy, H. (2006) Water-yield relationships of potato under different irrigation methods and regimens, <i>Scientia Agricola</i>, 63(3), pp. 226-231.</p> <ul style="list-style-type: none"> o Ferreira TC, Goncalves DA (2007) Crop-yield/water-use production functions of potatoes (<i>Solanum tuberosum</i>, L.) grown under differential nitrogen and irrigation treatments in a hot, dry climate AGRICULTURAL WATER MANAGEMENT 90 (1-2): 45-55. <p>Baser, I.; Sehirali, S.; Orta, A. H.; Erdem, T.; Erdem, Y.; Yorgancilar, O. (2004) Effect of different water stresses on the yield and yield components of winter wheat. <i>Cereal Research Communications</i>, 32(2), pp. 217-223.</p> <ul style="list-style-type: none"> o Tumova, L; Rimakova, J; Tuma, J; Dusek, J. (2007) Glycyrrhiza glabra culture in vitro-saponin production CEREAL RESEARCH COMMUNICATIONS, 35 (2): 1233-1236 Part 2. 	6

								<p>Orta, A. H.; Erdem, Y.; Erdem, T. (2003) Crop water stress index for watermelon, <i>Scientia Horticulturae</i>, 98(2), pp. 121-130.</p> <ul style="list-style-type: none"> ○ Kar, G; Kumar, A (2007) Surface energy fluxes and crop water stress index in groundnut under irrigated ecosystem AGRICULTURAL AND FOREST METEOROLOGY, 146 (1-2): 94-106. ○ Emekli, Y; Bastug, R; Buyuktas, D; Emekli, NY (2007) Evaluation of a crop water stress index for irrigation scheduling of bermudagrass AGRICULTURAL WATER MANAGEMENT, 90 (3): 205-212. ○ Fernandez, MD; Gonzalez, AM; Carreno, J; Perez, C; Bonachela, S (2007) Analysis of on-farm irrigation performance in Mediterranean greenhouses AGRICULTURAL WATER MANAGEMENT, 89 (3): 251-260. <p>Orta, A. H.; Sener, M. (2001) A study on irrigation scheduling of onion (<i>Allium cepa</i> L.) in Turkey. <i>Online Journal of Biological Sciences</i>, 1(8), pp. 735-736.</p> <ul style="list-style-type: none"> ○ Kumar, S; Imtiyaz, M; Kumar, A (2007) Effect of differential soil moisture and nutrient regimes on postharvest attributes of onion (<i>Allium cepa</i> L.) SCIENTIA HORTICULTURAE, 112 (2): 121-129. ○ Kumar, S; Imtiyaz, M; Kumar, A; Singh, R (2007) Response of onion (<i>Allium cepa</i> L.) to different levels of irrigation water AGRICULTURAL WATER MANAGEMENT, 89 (1-2): 161-166. 	
12	Simsek, Osman	Prof. Dr.	Department of Food Engineering	5	7	7	14	<p>Sagdic, O.; Arici, M.; Simsek, O. (2002) Selection of starters for a traditional Turkish yayik butter made from yoghurt, <i>Food Microbiology</i>, 19(4), pp. 303-312.</p> <ul style="list-style-type: none"> ○ Ozkan, G; Simsek, B; Kuleasan, H (2007) Antioxidant activities of Satureja cilicica essential oil in butter and in vitro JOURNAL OF FOOD ENGINEERING, 79 (4): 1391-1396. <p>Simsek, O.; Arici, M.; Demir, C. (2002) Mycoflora of hazelnut (<i>Corylus avellana</i> L.) and aflatoxin content in hazelnut kernels artificially infected with <i>Aspergillus parasiticus</i>, <i>Nahrung, Food</i>, 46(3), pp. 194-196.</p> <ul style="list-style-type: none"> ○ Vural, A; Aydin, A; Cakmak, O; Erkan, ME (2007) Determination of aflatoxin levels in consumed hazelnut cream in Istanbul, Turkey ASIAN JOURNAL OF CHEMISTRY, 19 (4): 3079-3084. <p>Yilmaz, I.; Simsek, O., Isikli, M. (2002) Fatty acid composition and quality characteristics of low-fat cooked sausages made with beef and chicken meat, tomato juice and sunflower oil. <i>Meat Science</i> 62(2), pp. 253-258.</p> <ul style="list-style-type: none"> ○ Deda, MS; Bloukas, JG; Fista, GA (2007) Effect of tomato paste and nitrite level on processing and quality characteristics of frankfurters MEAT SCIENCE, 76 (3): 501-508. <p>Simsek, O.; Gultekin, R.; Oksuz, O.; Kurultay, S. (2000) The effect of environmental</p>	4

								<p>pollution on the heavy metal content of raw milk <i>Nahrung, Food</i>, 44(5), pp. 360-363.</p> <ul style="list-style-type: none"> ○ Uneyama, C; Toda, M; Yamamoto, M; Morikawa, K (2007) Arsenic in various foods: Cumulative data Source: FOOD ADDITIVES AND CONTAMINANTS, 24 (5): 447-534. ○ Colak, H; Hampikyan, H; Bingol, EB (2007) Some residues and contaminants in milk and dairy products ASIAN JOURNAL OF CHEMISTRY, 19 (3): 1789-1796. <p>Arici, M.; Simsek, O. (1991) Kültür kullanımının tulum peynirinin duysal, fiziksel kimyasal ve mikrobiyolojik özelliklerine etkisi, <i>Gıda</i>, 16, pp. 53-62.</p> <ul style="list-style-type: none"> ○ Ceylan, ZG; Caglar, A; Cakmakci, S (2007) Some physicochemical, microbiological, and sensory properties of tulum cheese produced from ewe's milk via a modified method INTERNATIONAL JOURNAL OF DAIRY TECHNOLOGY, 60 (3): 191-197 ○ Hayaloglu, AA; Fox, PF; Guven, M; Cakmakci, S (2007) Cheeses of Turkey: 1. Varieties ripened in goat-skin bags LAIT, 87 (2): 79-95 	
13	Akyol, Ugur	Assist. Prof. Dr.	Department of Mechanical Engineering	2	6	6	12	<p>Akyol, U.; Bilen, K. (2006) Heat transfer and thermal performance analysis of a surface with hollow rectangular fins, <i>Applied Thermal Engineering</i>, 26(2-3), pp. 209-216.</p> <ul style="list-style-type: none"> ○ Wang, X.; Bibeau, E.; Naterer, GF (2007) Experimental correlation of forced convection heat transfer from a NACA airfoil, EXPERIMENTAL THERMAL AND FLUID SCIENCE, 31 (8): 1073-1082. ○ Udomsakdigool, C; Hirunlabh, J; Khedari, J; Zeghmami, B (2007) Design optimization of a new hot heat sink with a rectangular fin array for thermoelectric dehumidifiers HEAT TRANSFER ENGINEERING, 28 (7): 645-655. <p>Bilen, K.; Akyol, U.; Yapici, S. (2001) Heat transfer and friction correlations and thermal performance analysis for a finned surface, <i>Energy Conversion and Management</i>, 42(9), pp. 1071-1083.</p> <ul style="list-style-type: none"> ○ Gul, H; Evin, D (2007) Heat transfer enhancement in circular tubes using helical swirl generator insert at the entrance INTERNATIONAL JOURNAL OF THERMAL SCIENCES, 46 (12): 1297-1303. ○ Korichi, A; Oufer, L (2007) Heat transfer enhancement in oscillatory flow in channel with periodically upper and lower walls mounted obstacles INTERNATIONAL JOURNAL OF HEAT AND FLUID FLOW, 28 (5): 1003-1012. ○ Jiang, PX; Xu, RN (2007) Heat transfer and pressure drop characteristics of mini-fin structures INTERNATIONAL JOURNAL OF HEAT AND FLUID FLOW, 28 (5): 1167-1177. 	6

								<ul style="list-style-type: none"> ○ Sahin, B (2007) A Taguchi approach for determination of optimum design parameters for a heat exchanger having circular-cross sectional pin fins HEAT AND MASS TRANSFER, 43 (5): 493-502. 	
14	Kivan, Mujgan	Prof. Dr.	Department of Plant Protection	6	9	6	12	<p>Kivan, M.; Kilic, N. (2005) Effects of storage at low-temperature of various heteropteran host eggs on the egg parasitoid, <i>Trissolcus semistriatus</i>, <i>BioControl</i>, 50(4), pp. 589-600.</p> <ul style="list-style-type: none"> ○ Chen WL, Leopold RA (2007) Progeny quality of <i>Gonatocerus ashmeadi</i> (Hymenoptera : Mymaridae) reared on stored eggs of <i>Homalodisca coagulata</i> (Hemiptera : Cicadellidae), <i>JOURNAL OF ECONOMIC ENTOMOLOGY</i> 100 (3): 685-694. ○ Mahmoud AMA, Lim UT (2007) Evaluation of cold-stored eggs of <i>Dolycoris baccarum</i> (Hemiptera : Pentatomidae) for parasitization by <i>Trissolcus nigripedius</i> (Hymenoptera : Scelionidae) <i>BIOLOGICAL CONTROL</i> Volume: 43 Issue: 3 Pages: 287-293. <p>Kivan, M.; Kilic, N. (2004) Influence of host species and age on host preference of <i>Trissolcus semistriatus</i>, <i>BioControl</i>, 49(5), pp. 553-562.</p> <ul style="list-style-type: none"> ○ Reed, DA; Luhning, KA; Stafford, CA; Hansen, AK; Millar, JG; Hanks, LM; Paine, TD (2007) Host defensive response against an egg parasitoid involves cellular encapsulation and melanization <i>BIOLOGICAL CONTROL</i>, 41 (2): 214-222. <p>Kivan, M. (2004) Some observations on <i>Perillus bioculatus</i> (F.) (Heteroptera: Pentatomidae), a new record for the entomofauna of Turkey, <i>Turkish Journal of Entomology, Türkiye Entomoloji Dergisi</i>, 28(2), pp. 95-108.</p> <ul style="list-style-type: none"> ○ Fent, M; Aktac, N (2007) New records of Pentatomoidea (Heteroptera) for the fauna of Europe, Turkey, and the Turkish Thrace <i>ENTOMOLOGICAL NEWS</i>, 118 (4): 336-349. <p>Kivan, M.; Kilic, N. (2002) Host preference: parasitism, emergence and development of <i>Trissolcus semistriatus</i> (Hym., Scelionidae) in various host eggs, <i>Journal of Applied Entomology, Zeitschrift für Angewandte Entomologie</i>, 126(7-8), pp. 395-399</p> <ul style="list-style-type: none"> ○ Ito, E; Yamada, YY (2007) Imperfect preference for singly parasitized hosts over doubly parasitized hosts in the semisolitary parasitoid <i>Echthrodelpfax fairchildii</i>: implications for profitable self-superparasitism <i>ENTOMOLOGIA EXPERIMENTALIS ET APPLICATA</i>, 123 (3): 207-215. <p>Kivan, M. (1998) Investigations on the biology of <i>Trissolcus semistriatus</i> nees (Hymenoptera:Scelionidae),an egg parasitoid of <i>Eurygaster integriceps</i> Put. (Heteroptera:Scutelleridae) [Eurygaster integriceps Put. (Heteroptera:Scutelleridae)'nin yumurta parazitoiti <i>Trissolcus semistriatus</i> nees (Hymenoptera:Scelionidae)'un biyolojisi</p>	5

							<p>üzerine arařtırmalar] <i>Turkish Journal of Entomology, Türkiye Entomoloji Dergisi</i>, 22(4), pp. 243-257.</p> <ul style="list-style-type: none"> ○ Fent, M; Aktac, N (2007) New records of Pentatomoidea (Heteroptera) for the fauna of Europe, Turkey, and the Turkish Thrace ENTOMOLOGICAL NEWS, 118 (4): 336-349 ○ Kivan, M (2007) Pathogenicity of entomopathogenic fungi, <i>Beauveria bassiana</i> and <i>Metarhizium anisopliae</i> var <i>anisopliae</i> (Deuteromycotina : Hyphomycetes) against <i>Eurygaster integriceps</i> (Heteroptera : Scutelleridae) ENTOMOLOGIA GENERALIS, 30 (1): 63-69 <p>Oncuer, C.; Kivan, M. (1995) Determination and distribution of <i>Eurygaster</i> Lap. species and the biology and natural enemies of <i>Eurygaster integriceps</i> Put. (Heteroptera: Scutelleridae) in Tekirdag and surroundings. [Tekirdağ ve çevresinde <i>Eurygaster</i> Lap. (Heteroptera: Scutelleridae) türleri, tanınmaları, yayılıřları ve bunlardan <i>Eurygaster integriceps</i> Put.' in biyolojisi ve dođal düşmanları üzerinde arařtırmalar], <i>Turkish Journal of Agriculture and Forestry</i>, 19(4), pp. 223-230.</p> <ul style="list-style-type: none"> ○ Keskin, B (2007) A new species of the genus <i>Otiorynchus</i> GERMAR, 1822 (Coleoptera : Curculionidae : Entiminae) from Western Anatolia (Turkey) ZOOTAXA, (1588): 63-68 2007 ○ Kivan, M (2007) Pathogenicity of entomopathogenic fungi, <i>Beauveria bassiana</i> and <i>Metarhizium anisopliae</i> var <i>anisopliae</i> (Deuteromycotina : Hyphomycetes) against <i>Eurygaster integriceps</i> (Heteroptera : Scutelleridae) ENTOMOLOGIA GENERALIS, 30 (1): 63-69 		
15	Kocaman, İsrail	Assist. Prof. Dr.	Department of Agricultural Structures and Irrigation	3	6	6	12	<p>Konukcu, F.; Istanbuluđlu, A.; Kocaman, I. (2004) Determination of water content in drying soils: incorporating transition from liquid phase to vapour phase, <i>Australian Journal of Soil Research</i> 42(1), pp. 1-8</p> <ul style="list-style-type: none"> ○ Konukcu, F (2007) Modification of the Penman method for computing bare soil evaporation HYDROLOGICAL PROCESSES, 21 (26): 3627-3634. ○ Yopez, EA; Scott, RL; Cable, WL; Williams, DG (2007) Intraseasonal variation in water and carbon dioxide flux components in a semiarid riparian woodland ECOSYSTEMS, 10 (7): 1100-1115. <p>Konukcu, F.; Istanbuluđlu, A.; Kocaman, I. (2003) Simultaneous use of newly adopted simple sensors for continuous measurements of soil moisture and salinity, <i>Australian Journal of Soil Research</i>, 41(2), pp. 309-321</p> <ul style="list-style-type: none"> ○ Konukcu, F (2007) Modification of the Penman method for computing bare soil evaporation HYDROLOGICAL PROCESSES, 	1

								<p>21 (26): 3627-3634.</p> <ul style="list-style-type: none"> ○ Gowing, JW; Konukcu, F; Rose, DA (2006) Evaporative flux from a shallow watertable: The influence of a vapour-liquid phase transition JOURNAL OF HYDROLOGY, 321 (1-4): 77-89. ○ Nadler, A (2005) Methodologies and the practical aspects of the bulkk soil EC (sigma(a)) - Soil solution EC (sigma(w)) relations ADVANCES IN AGRONOMY, VOL 88, 88: 273-312. Book series title: ADVANCES IN AGRONOMY <p>Istanbulluoglu, A.; Konukcu, F.; Kocaman, I. (2002) Modification of Turc method to determine the water yields of sub-basins in Thrace region of Turkey, <i>Journal of Central European Agriculture</i>, 3(1), pp. 45-52.</p> <ul style="list-style-type: none"> ○ Aksoy, H (2007) Hydrological variability of the european part of turkey Source: IRANIAN JOURNAL OF SCIENCE AND TECHNOLOGY TRANSACTION B-ENGINEERING, 31 (B2): 225-236. 	
16	Tasan, Murat	Assist. Prof. Dr.	Department of Food Engineering	5	7	6	12	<p>Gegel, U.; Demirci, M.; Esendal, E.; Tasan, M. (2007) Fatty acid composition of the oil from developing seeds of different varieties of safflower (<i>carthamus tinctorius</i> L.), <i>Journal of the American Oil Chemists' Society</i>, 84(1), pp. 47-54.</p> <ul style="list-style-type: none"> ○ Haghghi, B; Feizy, J; Kakhki, AH (2007) LC determination of adulterated saffron prepared by adding styles colored with some natural colorants CHROMATOGRAPHIA, 66 (5-6): 325-332. <p>Tasan, M.; Demirci, M. (2005) Total and individual tocopherol contents of sunflower oil at different steps of refining, <i>European Food Research and Technology</i>, 220(3-4), pp. 251-254.</p> <ul style="list-style-type: none"> ○ Gallegos-Infante, JA; Rocha-Guzman, NE; Gonzalez-Laredo, RF; Gomez-Sanchez, D; Zuno-Florian, F; Vidana-Martinez, SA (2007) The quality of vegetable oil from three varieties of sunflower seeds (<i>helianthus annuus</i>), JOURNAL OF FOOD QUALITY, 30 (4): 413-423 <p>Daglioglu, O.; Tasan, M. (2003) Fatty acid composition of traditional fermented and unfermented Turkish corn bread with the emphasis on trans fatty acids, <i>Zeitschrift fur Lebensmittel Untersuchung und Forschung A, European Food Research and Technology</i>, 217(2), pp. 125-127.</p> <ul style="list-style-type: none"> ○ Griguol, V; Leon-Camacho, M; Vicario, IM (2007) Review of the levels of trans fatty acids reported in different food products. GRASAS Y ACEITES, 58 (1): 87-98. <p>Tasan, M.; Demirci, M. (2003) Trans FA in sunflower oil at different steps of refining, <i>Journal of the American Oil Chemists' Society</i>, 80(8), pp. 825-828.</p> <ul style="list-style-type: none"> ○ Martin, CA; Milinsk, MC; Visentainer, JV; Matsushita, M; De-Souza, NE 	5

								<p>(2007) Trans fatty acid-forming processes in foods: a review ANAIS DA ACADEMIA BRASILEIRA DE CIENCIAS, 79 (2): 343-350.</p> <p>Daglioglu, O.; Tasan, M.; Tuncel, B. (2000). Determination of fatty acid composition and total trans fatty acids of Turkish biscuits by capillary gas-liquid chromatography. <i>European Food Research and Technology</i>, 211(1), pp. 41-44</p> <ul style="list-style-type: none"> o Karabulut, I (2007) Fatty acid composition of frequently consumed foods in Turkey with special emphasis on trans fatty acids INTERNATIONAL JOURNAL OF FOOD SCIENCES AND NUTRITION, 58 (8): 619-628. o Griguol, V; Leon-Camacho, M; Vicario, IM (2007) Review of the levels of trans fatty acids reported in different food products. GRASAS Y ACEITES, 58 (1): 87-98. o Priego-Capote, F; Ruiz-Jimenez, J; De Castro, MDL (2007) Identification and quantification of trans fatty acids in bakery products by gas chromatography-mass spectrometry after focused microwave Soxhlet extraction FOOD CHEMISTRY, 100 (2): 859-867. 	
17	Erdem, Tolga	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	3	5	5	10	<p>Erdem, T.; Erdem, Y.; Orta, H.; Okursoy, H. (2006) Water-yield relationships of potato under different irrigation methods and regimens, <i>Scientia Agricola</i>, 63(3), pp. 226-231.</p> <ul style="list-style-type: none"> o Ferreira TC, Goncalves DA (2007) Crop-yield/water-use production functions of potatoes (<i>Solanum tuberosum</i>, L.) grown under differential nitrogen and irrigation treatments in a hot, dry climate AGRICULTURAL WATER MANAGEMENT 90 (1-2): 45-55. <p>Baser, I.; Sehirali, S.; Orta, A. H.; Erdem, T.; Erdem, Y.; Yorgancilar, O. (2004) Effect of different water stresses on the yield and yield components of winter wheat. <i>Cereal Research Communications</i>, 32(2), pp. 217-223.</p> <ul style="list-style-type: none"> o Tumova, L; Rimakova, J; Tuma, J; Dusek, J. (2007) Glycyrrhiza glabra culture in vitro-saponin production CEREAL RESEARCH COMMUNICATIONS, 35 (2): 1233-1236 Part 2. <p>Orta, A. H.; Erdem, Y.; Erdem, T. (2003) Crop water stress index for watermelon, <i>Scientia Horticulturae</i>, 98(2), pp. 121-130.</p> <ul style="list-style-type: none"> o Kar, G; Kumar, A (2007) Surface energy fluxes and crop water stress index in groundnut under irrigated ecosystem AGRICULTURAL AND FOREST METEOROLOGY, 146 (1-2): 94-106. o Emekli, Y; Bastug, R; Buyuktas, D; Emekli, NY (2007) Evaluation of a crop water stress index for irrigation scheduling of bermudagrass AGRICULTURAL WATER MANAGEMENT, 90 (3): 205-212. o Fernandez, MD; Gonzalez, AM; Carreno, J; Perez, C; Bonachela, S (2007) 	5

								Analysis of on-farm irrigation performance in Mediterranean greenhouses AGRICULTURAL WATER MANAGEMENT, 89 (3): 251-260.	
18	Savas, T.	Prof. Dr. (former)	Department of Animal Science	7	8	5	10	<p><i>Yurtman, I. Y.; Savas, T.; Karaagac, F.; Coskuntuna, L.</i> (2002) Effects of daily protein intake levels on the oral stereotypic behaviours in energy restricted lambs, <i>Applied Animal Behaviour Science</i>, 77(1), pp. 77-88.</p> <ul style="list-style-type: none"> ○ McGreevy, PD; George, S; Thomson, PC (2007) A note on the effect of changes in flooring on the behaviour of housed rams APPLIED ANIMAL BEHAVIOUR SCIENCE, 107 (3-4): 355-360. <p>Das, G., Savas, T. (2002) Could the litter weight and its variation be used as selection criteria in goats? [Keçilerde bir batında doğum ağırlığı ve varyasyonu seleksiyon ölçütü olarak kullanılabilir mi?] <i>Journal of Animal Production, Hayvansal Üretim</i> 43, pp. 86-90.</p> <ul style="list-style-type: none"> ○ Konyali, A ; Tolu, C ; Das, G ; Savas, T (2007) Factors affecting placental traits and relationships of placental traits with neonatal behaviour in goat ANIMAL REPRODUCTION SCIENCE, 97 (3-4): 394-401. <p>Rohe, R., Savas, T.; Brka, M.; Willms, F.; Kalm, E. (2001) Multiple-trait genetic analyses of racing performances of German trotters with disentanglement of genetic and driver effects. <i>Archiv fur Tierzucht-Archives of Animal Breeding</i>, 44(6), pp. 579-587.</p> <ul style="list-style-type: none"> ○ Langlois, B ; Blouin, C (2007) Annual, career or single race records for breeding value estimation in race horses, LIVESTOCK SCIENCE, 107 (2-3): 132-141. <p>Savas, T.; Rohe, R.; Kalm, E. (2000) Estimation of genetic parameters for reproduction traits In sheep, <i>Zuchtungskunde</i>, 72(3), pp. 217-229.</p> <ul style="list-style-type: none"> ○ Savas, T.; Konyali, C; Das, G; Yurtman, IY (2007) Effect of beak length on feed intake in pigeons (<i>Columba livia f. domestica</i>), ANIMAL WELFARE, 16 (1): 77-83. <p>Savas, T.; Preisinger, R.; Rohe, R.; Kalm, E. (1999) The Effect of the Box-Cox-transformation on the estimation of genetic parameters for egg production traits in laying hens, [Einfluss der box-cox-transformation auf die schätzung genetischer parameter fur legerate bei legehennen] <i>Zuchtungskunde</i>, 71(5), pp. 380-391.</p> <ul style="list-style-type: none"> ○ Wolc, A; Lisowski, M; Szwaczkowski, T (2007) Heritability of egg production in laying hens under cumulative, multitrait and repeated measurement animal models CZECH JOURNAL OF ANIMAL SCIENCE, 52 (8): 254-259. <p>Savas, T.; Preisinger, R.; Rohe, R.; Kalm, E. (1998) Genetic parameters and optimal test period for egg production from part-period egg production traits in laying hens, [genetische parameter und optimale prüfdauer fur legeleistung anhand von teillegeleistungen bei legehennen] <i>Archiv fur Tierzucht-Archives of Animal Breeding</i>,</p>	6

								41(5), pp. 421-432 <ul style="list-style-type: none"> ○ Wolc, A; Lisowski, M; Szwaczkowski, T (2007) Genetic evaluation of laying hens under fixed regression animal models ARCHIV FUR TIERZUCHT-ARCHIVES OF ANIMAL BREEDING, 50 (3): 279-287. <p>Preisinger, R., Savas, T. (1997) Comparison between two methods for estimating variance components for production traits in laying hens [Vergleich zweier Methoden zur Schätzung der Varianzkomponenten für Leistungsmerkmale bei Legehennen]. <i>Züchtungskunde</i> 69(2), pp. 142-152.</p> <ul style="list-style-type: none"> ○ Wolc, A; Lisowski, M; Szwaczkowski, T (2007) Heritability of egg production in laying hens under cumulative, multitrait and repeated measurement animal models CZECH JOURNAL OF ANIMAL SCIENCE, 52 (8): 254-259. ○ Wolc, A; Lisowski, M; Szwaczkowski, T (2007) Genetic evaluation of laying hens under fixed regression animal models ARCHIV FUR TIERZUCHT-ARCHIVES OF ANIMAL BREEDING, 50 (3): 279-287 	
19	Akdemir, Serap	Assist. Prof. Dr.	Tekirdag Vocational College	1	4	4	8	<p>Arin, S.; Akdemir, S: (2002) The usability of natural gas for heating purpose in greenhouses [Seralarda doğal gazın ısıtma amacıyla kullanılabilirliği], <i>Trakya University Journal of Sciences</i>, [Trakya Üniversitesi Bilimsel Araştırmalar Dergisi B Serisi Fen Bilimleri], 3(1), pp. 89-99.</p> <ul style="list-style-type: none"> ○ Balli, O; Aras, H; Hepbasli, A (2008) Exergoeconomic analysis of a combined heat and power (CHP) system INTERNATIONAL JOURNAL OF ENERGY RESEARCH, 32 (4): 273-289. ○ Balli, O; Aras, H (2007) Energetic and exergetic performance evaluation of a combined heat and power system with the micro gas turbine (MGTCHP) INTERNATIONAL JOURNAL OF ENERGY RESEARCH, 31 (14): 1425-1440. ○ Balli, O; Aras, H; Hepbasli, A (2007) Exergetic performance evaluation of a combined heat and power (CHP) system in Turkey INTERNATIONAL JOURNAL OF ENERGY RESEARCH, 31 (9): 849-866. ○ Balli, O; Aras, H (2007) Energetic analyses of the combined heat and power (CHP) system ENERGY EXPLORATION & EXPLOITATION, 25 (1): 39-62. 	0
20	Arin, Selcuk	Prof. Dr.	Department of Agricultural Machines	1	4	4	8	<p>Arin, S.; Akdemir, S: (2002) The usability of natural gas for heating purpose in greenhouses [Seralarda doğal gazın ısıtma amacıyla kullanılabilirliği], <i>Trakya University Journal of Sciences</i>, [Trakya Üniversitesi Bilimsel Araştırmalar Dergisi B Serisi Fen Bilimleri], 3(1), pp. 89-99.</p> <ul style="list-style-type: none"> ○ Balli, O; Aras, H; Hepbasli, A (2008) Exergoeconomic analysis of a 	4

								<p>combined heat and power (CHP) system INTERNATIONAL JOURNAL OF ENERGY RESEARCH, 32 (4): 273-289.</p> <ul style="list-style-type: none"> ○ Balli, O; Aras, H (2007) Energetic and exergetic performance evaluation of a combined heat and power system with the micro gas turbine (MGTC) INTERNATIONAL JOURNAL OF ENERGY RESEARCH, 31 (14): 1425-1440. ○ Balli, O; Aras, H; Hepbasli, A (2007) Exergetic performance evaluation of a combined heat and power (CHP) system in Turkey INTERNATIONAL JOURNAL OF ENERGY RESEARCH, 31 (9): 849-866. ○ Balli, O; Aras, H (2007) Energetic analyses of the combined heat and power (CHP) system ENERGY EXPLORATION & EXPLOITATION, 25 (1): 39-62. 	
21	Kilic, Nihal	Assist. Prof. Dr.	Department of Plant Protection	3	4	4	8	<p>Kivan, M.; Kilic, N. (2005) Effects of storage at low-temperature of various heteropteran host eggs on the egg parasitoid, <i>Trissolcus semistriatus</i>, <i>BioControl</i>, 50(4), pp. 589-600.</p> <ul style="list-style-type: none"> ○ Chen WL, Leopold RA (2007) Progeny quality of <i>Gonatocerus ashmeadi</i> (Hymenoptera : Mymaridae) reared on stored eggs of <i>Homalodisca coagulata</i> (Hemiptera : Cicadellidae), <i>JOURNAL OF ECONOMIC ENTOMOLOGY</i> 100 (3): 685-694. ○ Mahmoud AMA, Lim UT (2007) Evaluation of cold-stored eggs of <i>Dolycoris baccarum</i> (Hemiptera : Pentatomidae) for parasitization by <i>Trissolcus nigripedius</i> (Hymenoptera : Scelionidae) <i>BIOLOGICAL CONTROL</i> Volume: 43 Issue: 3 Pages: 287-293. <p>Kivan, M.; Kilic, N. (2004) Influence of host species and age on host preference of <i>Trissolcus semistriatus</i>, <i>BioControl</i>, 49(5), pp. 553-562.</p> <ul style="list-style-type: none"> ○ Reed, DA; Luhring, KA; Stafford, CA; Hansen, AK; Millar, JG; Hanks, LM; Paine, TD (2007) Host defensive response against an egg parasitoid involves cellular encapsulation and melanization <i>BIOLOGICAL CONTROL</i>, 41 (2): 214-222. <p>Kivan, M.; Kilic, N. (2002) Host preference: parasitism, emergence and development of <i>Trissolcus semistriatus</i> (Hym., Scelionidae) in various host eggs, <i>Journal of Applied Entomology, Zeitschrift fur Angewandte Entomologie</i>, 126(7-8), pp. 395-399</p> <ul style="list-style-type: none"> ○ Ito, E; Yamada, YY (2007) Imperfect preference for singly parasitized hosts over doubly parasitized hosts in the semisolitary parasitoid <i>Echthrodiphax fairchildii</i>: implications for profitable self-superparasitism <i>ENTOMOLOGIA EXPERIMENTALIS ET APPLICATA</i>, 123 (3): 207-215. 	3

22	Kurultay, Sefik	Prof. Dr.	Department of Food Engineering	2	4	4	8	<p>Oksuz, O.; Arici, M.; Kurultay, S.; Gumus, T. (2004) Incidence of Escherichia coli O157 in raw milk and white pickled cheese manufactured from raw milk in Turkey, <i>Food Control</i>, 15(6), pp. 453-456.</p> <ul style="list-style-type: none"> ○ Sami, M; Firouzi, R; Shekarforoush, SS (2007) Prevalence of Escherichia coli O157 : H7 on dairy farms in Shiraz, Iran by immunomagnetic separation and multiplex PCR IRANIAN JOURNAL OF VETERINARY RESEARCH, 8 (4): 319-324. ○ Erkan, EM; Ciftcioglu, G; Vural, A; Aksu, H (2007) Some microbiological characteristics of herbed cheeses Source: JOURNAL OF FOOD QUALITY, 30 (2): 228-236. <p>Simsek, O.; Gultekin, R.; Oksuz, O.; Kurultay, S. (2000) The effect of environmental pollution on the heavy metal content of raw milk <i>Nahrung, Food</i>, 44(5), pp. 360-363.</p> <ul style="list-style-type: none"> ○ Uneyama, C; Toda, M; Yamamoto, M; Morikawa, K (2007) Arsenic in various foods: Cumulative data Source: FOOD ADDITIVES AND CONTAMINANTS, 24 (5): 447-534. ○ Colak, H; Hampikyan, H; Bingol, EB (2007) Some residues and contaminants in milk and dairy products ASIAN JOURNAL OF CHEMISTRY, 19 (3): 1789-1796. 	3
23	Oksuz, Omer	Assist. Prof. Dr.	Department of Food Engineering	2	4	4	8	<p>Oksuz, O.; Arici, M.; Kurultay, S.; Gumus, T. (2004) Incidence of Escherichia coli O157 in raw milk and white pickled cheese manufactured from raw milk in Turkey, <i>Food Control</i>, 15(6), pp. 453-456.</p> <ul style="list-style-type: none"> ○ Sami, M; Firouzi, R; Shekarforoush, SS (2007) Prevalence of Escherichia coli O157 : H7 on dairy farms in Shiraz, Iran by immunomagnetic separation and multiplex PCR IRANIAN JOURNAL OF VETERINARY RESEARCH, 8 (4): 319-324. ○ Erkan, EM; Ciftcioglu, G; Vural, A; Aksu, H (2007) Some microbiological characteristics of herbed cheeses Source: JOURNAL OF FOOD QUALITY, 30 (2): 228-236. <p>Simsek, O.; Gultekin, R.; Oksuz, O.; Kurultay, S. (2000) The effect of environmental pollution on the heavy metal content of raw milk <i>Nahrung, Food</i>, 44(5), pp. 360-363.</p> <ul style="list-style-type: none"> ○ Uneyama, C; Toda, M; Yamamoto, M; Morikawa, K (2007) Arsenic in various foods: Cumulative data Source: FOOD ADDITIVES AND CONTAMINANTS, 24 (5): 447-534. ○ Colak, H; Hampikyan, H; Bingol, EB (2007) Some residues and contaminants in milk and dairy products ASIAN JOURNAL OF CHEMISTRY, 19 (3): 1789-1796. 	3

24	Soysal, M. Ihsan	Prof. Dr.	Department of Animal Science	3	4	4	8	<p>Soysal, M. I.; Koban, E.; Ozkan, E.; Altunok, V.; Bulut, Z. Nizamlioglu, M., Togan, I. (2005) Evolutionary relationship among three native and two crossbreed sheep breeds of Turkey: preliminary, <i>Revue de Medecine Veterinaire</i>, 156(5), pp. 289-293</p> <ul style="list-style-type: none"> ○ Devrim AK, Kaya N, Guven A, et al. (2007) A study of genomic polymorphism and diversity in sheep breeds in northeastern Anatolia SMALL RUMINANT RESEARCH Volume: 73 Issue: 1-3 Pages: 291-295. ○ Girish H, Sivaselvam SN, Karthickeyan SMK, et al. (2007) Molecular characterisation of Nilagiri sheep (<i>Ovis aries</i>) of South India based on microsatellites ASIAN-AUSTRALASIAN JOURNAL OF ANIMAL SCIENCES Volume: 20 Issue: 5 Pages: 633-637. <p>Soysal, M. I.; Ozkan, E.; Gurcan, E. K. (2003) The status of native farm animal genetic diversity in Turkey and in the world, <i>Journal of Animal Science, Zhivotnov'dni Nauki</i>, 40(5), pp. 7-16.</p> <ul style="list-style-type: none"> ○ Kul, S; Seker, I (2007) Fertility and wool properties in East Friesian x Awassi crossbred (F-1) ewes JOURNAL OF APPLIED ANIMAL RESEARCH, 32 (1): 73-75. <p>Soysal, M. I.; Ugur, F.; Ugur, E. K.; Gurcan, E. K.; Bageci, H. (2001) An investigation on the describing weight body measurements-age relationship in black and white cattles with linear and non-linear mathematical equation. [Siyah alaca sığırlarda canlı ağırlık ve çeşitli vücut ölçüleri ile yaş ilişkisinin bazı doğrusal ve doğrusal olmayan denklemlerle açıklanması üzerine bir araştırma]. <i>Journal of Tekirdag Agricultural Faculty [Tekirdağ Ziraat Fakültesi Dergisi]</i>. 1(1), pp. 33-39.</p> <ul style="list-style-type: none"> ○ Adiloglu, S (2007) The effect of increasing nitrogen and zinc doses on the iron, copper and manganese contents of maize plant in calcareous and zinc deficient soils AGROCHIMICA, 51 (2-3): 114-120. 	4
25	Alpaslan, Mehmet	Former	Department of Food Engineering	3	3	3	6	<p>Alpaslan, M.; Gunduz, H. (2000) The effects of growing conditions on oil content, fatty acid composition and tocopherol content of some sunflower varieties produced in Turkey, <i>Nahrung, Food</i>, 44(6), pp. 434-437.</p> <ul style="list-style-type: none"> ○ Dong, GJ; Liu, XL; Chen, ZY; Pan, WD; Li, HJ; Liu, GS (2007) The dynamics of tocopherol and the effect of high temperature in developing sunflower (<i>Helianthus annuus</i> L.) embryo, FOOD CHEMISTRY, 102 (1): 138-145. <p>Alpaslan, M.; Karaali, A. (1998) The interesterification-induced changes in olive and palm oil blends, <i>Food Chemistry</i>, 61(3), pp. 301-305.</p> <ul style="list-style-type: none"> ○ Farmani, J; Hamed, M; Safari, M; Madadlou, A (2007) Trans-free Iranian vanaspati through enzymatic and chemical transesterification of triple 	3

								<p>blends of fully hydrogenated soybean, rapeseed and sunflower oils, FOOD CHEMISTRY, 102 (3): 827-833.</p> <p>ALPASLAN M ANKARA U J AGR FACUL 1996 2 45</p> <ul style="list-style-type: none"> o Adiloglu, S (2007) The effect of increasing nitrogen and zinc doses on the iron, copper and manganese contents of maize plant in calcareous and zinc deficient soils AGROCHIMICA, 51 (2-3): 114-120. 	
26	Altin, Murat	Prof. Dr.	Department of Field crops	1	3	3	6	<p>Mart, C.; Erkilic, L.; Uygun, N.; Altin, M. (1995) Species and pest control methods used in pistachio orchards of Turkey. <i>Acta Horticulturae</i>, pp. 379-385.</p> <ul style="list-style-type: none"> o Er, MK; Karadag, S; Mart, C (2007) Effectiveness of <i>Bacillus thuringiensis</i> var. <i>kurstaki</i> on <i>Thaumetopoea solitaria</i> frey. (Lepidoptera : Thaumetopoeidae) larvae in laboratory conditions TURKISH JOURNAL OF AGRICULTURE AND FORESTRY, 31 (4): 255-261 o Mehrnejad, MR Copland, MJW (2007) Host discrimination by the endoparasitoid <i>Psyllaephagus pistaciae</i> (Hymenoptera : Encyrtidae): A case of time-dependent ability BIOCONTROL SCIENCE AND TECHNOLOGY, 17 (4): 401-411. o Gries, R; Khaskin, G; Daroogheh, H; Mart, C; Karadag, S; Er, MK; Britton, R; Gries, G (2007) (2S,12Z)-2-acetoxy-12-heptadecene: Major sex pheromone component of pistachio twig borer, <i>Kermania pistaciella</i> JOURNAL OF CHEMICAL ECOLOGY, 32 (12): 2667-2677. 	0
27	Bilgin, Bilal	Assist. Prof. Dr.	Department of Food Engineering	1	3	3	6	<p>Arici, M.; Bilgin, B.; Sagdic, O.; Ozdemir, C. (2004) Some characteristics of <i>Lactobacillus</i> isolates from infant faeces, <i>Food Microbiology</i>, 21(1), pp. 19-24.</p> <ul style="list-style-type: none"> o Buriti, FCA; Saad, SMI (2007) Bacteria of <i>Lactobacillus casei</i> group: characterization, viability as probiotic in food products and their importance for human health ARCHIVOS LATINOAMERICANOS DE NUTRICION, 57 (4): 373-380. o Beyatli, Y; Aslim, B; Onal, D; Bozkurt, H. (2007) Determination of some characteristic properties of lactic acid bacteria isolated from traditional hand-made yogurts DEUTSCHE LEBENSMITTEL-RUNDSCHAU, 103 (11): 517-522. o Khalil, R; Mahrous, H; El-Halafawy, K; Kamaly, K; Frank, J; El Soda, M (2007) Evaluation of the probiotic potential of lactic acid bacteria isolated from faeces of breast-fed infants in Egypt AFRICAN JOURNAL OF BIOTECHNOLOGY, 6 (7): 939-949. 	3

28	Dinçer, A. Riza	Assist. Prof. Dr.	Department of Environmental Engineering	2	3	3	6	<p>Dincer, A. R.; Gunes, E.; Karakaya, N.; Gunes, Y. (2007) Comparison of activated carbon and bottom ash for removal of reactive dye from aqueous solution, <i>Bioresource Technology</i>, 98(4), pp. 834-839.</p> <ul style="list-style-type: none"> ○ Ugurlu, M; Gurses, A; Dogar, C (2007) Adsorption studies on the treatment of textile dyeing effluent by activated carbon prepared from olive stone by ZnCl₂ activation COLORATION TECHNOLOGY, 123 (2): 106-114. <p>Dincer, A. R. (2004) Use of activated sludge in biological treatment of boron containing wastewater by fed-batch operation, <i>Process Biochemistry</i>, 39(6), pp. 721-728.</p> <ul style="list-style-type: none"> ○ Cengeloglu, Y; Tor, A; Arslan, G; Ersoz, M; Gezin, S (2007) Removal of boron from aqueous solution by using neutralized red mud JOURNAL OF HAZARDOUS MATERIALS, 142 (1-2): 412-417. ○ Turek, M; Dydo, P; Trojanowska, J; Bandura, B (2007) Electrodialytic treatment of boron-containing wastewater DESALINATION, 205 (1-3): 185-191. 	4
29	İstanbulluoglu, Ahmet	Assoc. Prof. Dr.	Department of Agricultural Structures and Irrigation	3	6	3	6	<p>Konukcu, F.; İstanbulluoglu, A.; Kocaman, I. (2004) Determination of water content in drying soils: incorporating transition from liquid phase to vapour phase, <i>Australian Journal of Soil Research</i> 42(1), pp. 1-8</p> <ul style="list-style-type: none"> ○ Konukcu, F (2007) Modification of the Penman method for computing bare soil evaporation HYDROLOGICAL PROCESSES, 21 (26): 3627-3634. ○ Yopez, EA; Scott, RL; Cable, WL; Williams, DG (2007) Intraseasonal variation in water and carbon dioxide flux components in a semiarid riparian woodland ECOSYSTEMS, 10 (7): 1100-1115. <p>Konukcu, F.; İstanbulluoglu, A.; Kocaman, I. (2003) Simultaneous use of newly adopted simple sensors for continuous measurements of soil moisture and salinity, <i>Australian Journal of Soil Research</i>, 41(2), pp. 309-321</p> <ul style="list-style-type: none"> ○ Konukcu, F (2007) Modification of the Penman method for computing bare soil evaporation HYDROLOGICAL PROCESSES, 21 (26): 3627-3634. ○ Gowing, JW; Konukcu, F; Rose, DA (2006) Evaporative flux from a shallow watertable: The influence of a vapour-liquid phase transition JOURNAL OF HYDROLOGY, 321 (1-4): 77-89. ○ Nadler, A (2005) Methodologies and the practical aspects of the bulk soil EC (sigma(a)) - Soil solution EC (sigma(w)) relations ADVANCES IN AGRONOMY, VOL 88, 88: 273-312. Book series title: ADVANCES IN AGRONOMY 	2

								<p>Istanbulluoglu, A.; Konukcu, F.; Kocaman, I. (2002) Modification of Turc method to determine the water yields of sub-basins in Thrace region of Turkey, <i>Journal of Central European Agriculture</i>, 3(1), pp. 45-52.</p> <ul style="list-style-type: none"> ○ Aksoy, H (2007) Hydrological variability of the european part of turkey IRANIAN JOURNAL OF SCIENCE AND TECHNOLOGY TRANSACTION B-ENGINEERING, 31 (B2): 225-236. 	
30	Kayisoglu, Birol	Prof. Dr.	Department of Agricultural Machines	2	3	3	6	<p>Kayisoglu, B.; Kocabiyik, H.; Akdemir, B. (2004) The effect of moisture content on the thermal conductivities of some cereal grains, <i>Journal of Cereal Science</i>, 39(1), pp. 147-150.</p> <ul style="list-style-type: none"> ○ Muramatsu, Y; Tagawa, A; Sakaguchi, E; Kasai, T (2007) Prediction of thermal conductivity of kernels and a packed bed of brown rice JOURNAL OF FOOD ENGINEERING, 80 (1): 241-248. <p>Bayhan, Y.; Kayisoglu, B.; Gonulol, E. (2002) Effect of soil compaction on sunflower growth, <i>Soil and Tillage Research</i>, 68(1), pp. 31-38.</p> <ul style="list-style-type: none"> ○ Hyatt, J; Wendroth, O; Egli, DB; TeKrony, DM (2007) Soil compaction and soybean seedling emergence CROP SCIENCE, 47 (6): 2495-2503. ○ Godefroid, S; Monbaliu, D; Massant, W; Van Der Aa, B; De Vos, B; Quivy, V; Koedam, N (2007) Effects of soil mechanical treatments combined with bramble and bracken control on the restoration of degraded understory in an ancient beech forest ANNALS OF FOREST SCIENCE, 64 (3): 321-331. 	3
31	Kayisoglu, Serap	Assist. Prof. Dr.	Tekirdag Vocational College	1	3	3	6	<p>Kayisoglu, S.; Yilmaz, I.; Demirci, M.; Yetim, H. (2003) Chemical composition and microbiological quality of the doner kebabs sold in Tekirdag market, <i>Food Control</i>, 14(7), pp. 469-474.</p> <ul style="list-style-type: none"> ○ Ergonul, B; Kundakci, A (2007) Changes in quality attributes of turkey doner during frozen storage JOURNAL OF MUSCLE FOODS, 18 (3): 285-293. ○ Currie, A; NacDonald, J; Ellis, A; Siushansian, J; Chui, L; Charlebois, M; Peermohamed, M; Everett, D; Fehr, M; Ng, LK; Invest Team (2007) Outbreak of Escherichia coli O157 : H7 infections associated with consumption of beef donair JOURNAL OF FOOD PROTECTION, 70 (6): 1483-1488. ○ Pexara, A; Ambrosiadis, I; Georgakis, S; Genigeorgis, C; Batzios, C (2007) Basic parameters of a new production technology for "gyros". A shelf life study of the product at 4 degrees C JOURNAL OF FOOD ENGINEERING, 79 (2): 681-688. 	2

32	Koklu, Gassan	Assist. Prof. Dr.	Department of Plant Protection	4	5	3	6	<p>Koklu, G.; Ramsell, J.; Kvarnheden, A. (2007) The complete genome sequence for a Turkish isolate of wheat dwarf virus (WDV) from barley confirms the presence of two distinct WDV strains. <i>Virus Genes</i>, 34(3), pp. 359-366.</p> <ul style="list-style-type: none"> ○ Schubert, J; Habekuss, A; Kazmaier, K; Jeske, H (2007) Surveying cereal-infecting geminiviruses in Germany - Diagnostics and direct sequencing using rolling circle amplification <i>VIRUS RESEARCH</i>, 127 (1): 61-70. ○ Halley-Stott, RP; Tanzer, F; Martin, DP; Rybicki, EP (2007) The complete nucleotide sequence of a mild strain of Bean yellow dwarf virus <i>ARCHIVES OF VIROLOGY</i>, 152 (6): 1237-1240. <p>Koklu, G.; Rojas, A.; Kvarnheden, A. (2006) Molecular identification and the complete nucleotide sequence of a Tomato yellow leaf curl virus isolate from Turkey, <i>Journal of Plant Pathology</i>, 88(1), pp. 61-66.</p> <ul style="list-style-type: none"> ○ Duffy S, Holmes EC (2007) Multiple introductions of the old world Begomovirus Tomato yellow leaf curl virus into the new world <i>APPLIED AND ENVIRONMENTAL MICROBIOLOGY</i> 73 (21): 7114-7117. <p>Koklu, G. (2004) Occurrence of cereal viruses on wheat in Tekirdag, Turkey, <i>Phytoprotection</i>, 85(1), pp. 19-25.</p> <ul style="list-style-type: none"> ○ Koklu, G.; Ramsell, JNE; Kvarnheden, A (2007) The complete genome sequence for a Turkish isolate of Wheat dwarf virus (WDV) from barley confirms the presence of two distinct WDV strains <i>VIRUS GENES</i>, 34 (3): 359-366. <p>Koklu, G.; Yilmaz, O. (2004) Incidence of cereal viruses on winter barley grown in Tekirdag, Turkey, <i>Cereal Research Communications</i>, 32(1), pp. 61-68.</p> <ul style="list-style-type: none"> ○ Koklu, G.; Ramsell, JNE; Kvarnheden, A (2007) The complete genome sequence for a Turkish isolate of Wheat dwarf virus (WDV) from barley confirms the presence of two distinct WDV strains <i>VIRUS GENES</i>, 34 (3): 359-366. 	4
33	Ozkan, Emel	Assist. Prof. Dr.	Department of Animal Science	2	3	3	6	<p>Soysal, M. I.; Koban, E.; Ozkan, E.; Altunok, V.; Bulut, Z. Nizamlioglu, M., Togan, I. (2005) Evolutionary relationship among three native and two crossbreed sheep breeds of Turkey: preliminary, <i>Revue de Medecine Veterinaire</i>, 156(5), pp. 289-293</p> <ul style="list-style-type: none"> ○ Devrim AK, Kaya N, Guven A, et al. (2007) A study of genomic polymorphism and diversity in sheep breeds in northeastern Anatolia <i>SMALL RUMINANT RESEARCH</i> Volume: 73 Issue: 1-3 Pages: 291-295. ○ Girish H, Sivaselvam SN, Karthickeyan SMK, et al. (2007) Molecular characterisation of Nilagiri sheep (<i>Ovis aries</i>) of South India based on microsatellites <i>ASIAN-AUSTRALASIAN JOURNAL OF ANIMAL</i> 	2

								SCIENCES Volume: 20 Issue: 5 Pages: 633-637. Soysal, M. I.; Ozkan, E.; Gurcan, E. K. (2003) The status of native farm animal genetic diversity in Turkey and in the world, <i>Journal of Animal Science, Zhivotnov'dni Nauki</i> , 40(5), pp. 7-16. <ul style="list-style-type: none"> ○ Kul, S; Seker, I (2007) Fertility and wool properties in East Friesian x Awassi crossbred (F-1) ewes JOURNAL OF APPLIED ANIMAL RESEARCH, 32 (1): 73-75. 	
34	Yuksel, A. Nedim	Prof. Dr.	Department of Agricultural Structures and Irrigation	1	3	3	6	Erdem, Y.; Yuksel, A. N. (2003) Yield response of watermelon to irrigation shortage, <i>Scientia Horticulturae</i> , 98(4), pp. 365-383. <ul style="list-style-type: none"> ○ McCann, I; Kee, E; Adkins, J; Ernest, E; Ernest, J (2007) Effect of irrigation rate on yield of drip-irrigated seedless watermelon in a humid region SCIENTIA HORTICULTURAE, 113 (2): 155-161. ○ Shah, TN; Foley, HC; Zydney, AL (2007) Development and characterization of nanoporous carbon membranes for protein ultrafiltration, JOURNAL OF MEMBRANE SCIENCE, 295 (1-2): 40-49. ○ Fernandez, MD; Gonzalez, AM; Carreno, J; Perez, C; Bonachela, S (2007) Analysis of on-farm irrigation performance in Mediterranean greenhouses, AGRICULTURAL WATER MANAGEMENT, 89 (3): 251-260. 	2
35	Baser, Ismet	Prof. Dr.	Department of Field Crops	3	3	2	4	Baser, I.; Sehirali, S.; Orta, A. H.; Erdem, T.; Erdem, Y.; Yorgancilar, O. (2004) Effect of different water stresses on the yield and yield components of winter wheat. <i>Cereal Research Communications</i> , 32(2), pp. 217-223. <ul style="list-style-type: none"> ○ Tumova, L; Rimakova, J; Tuma, J; Dusek, J. (2007) Glycyrrhiza glabra culture in vitro-saponin production CEREAL RESEARCH COMMUNICATIONS, 35 (2): 1233-1236 Part 2. Turhan, H.; Baser, I. (2004) Callus induction from mature embryo of winter wheat (<i>Triticum aestivum</i> L.), <i>Asian Journal of Plant Sciences</i> , 3(1), pp. 17-19. <ul style="list-style-type: none"> ○ Jia, HY; Yi, DL; Yu, J; Xue, SL; Xiang, Y; Zhang, CQ; Zhang, ZZ; Zhang, LX; Ma, ZQ (2007) Mapping QTLs for tissue culture response of mature wheat embryos MOLECULES AND CELLS, 23 (3): 323-330. Korkut, K. Z.; Baser, I. (1993) Researches on genotype x environment interactions and stability parameters of grain yield in bread wheat (<i>Triticum aestivum</i> L.). [Ekmeçlik bugdayda genotip x çevre etkileşimi ve tane veriminin stabilitesi üzerine araştırmalar]. <i>Journal of Tekirdağ Agricultural Faculty</i> 2 (2), pp. 63-68. <ul style="list-style-type: none"> ○ Korkut, KZ; Bilgin, O; Baser, I; Saglam, N. (2007) Stability of grain vitreousness in durum wheat (<i>Triticum durum</i> L. Desf.) genotypes in the north-western region of Turkey TURKISH JOURNAL OF 	1

								AGRICULTURE AND FORESTRY, 31 (5): 313-318.	
36	Bayhan, Yilmaz	Assist. Prof. Dr.	Department of Agricultural Machines	1	2	2	4	<p>Bayhan, Y.; Kayisoglu, B.; Gonulol, E. (2002) Effect of soil compaction on sunflower growth, <i>Soil and Tillage Research</i>, 68(1), pp. 31-38.</p> <ul style="list-style-type: none"> ○ Hyatt, J; Wendroth, O; Egli, DB; TeKrony, DM (2007) Soil compaction and soybean seedling emergence CROP SCIENCE, 47 (6): 2495-2503. ○ Godefroid, S; Monbaliu, D; Massant, W; Van Der Aa, B; De Vos, B; Quivy, V; Koedam, N (2007) Effects of soil mechanical treatments combined with bramble and bracken control on the restoration of degraded understory in an ancient beech forest ANNALS OF FOREST SCIENCE, 64 (3): 321-331. 	1
37	Coskun, Fatma	Assist. Prof. Dr.	Department of Food Engineering	2	2	2	4	<p>Coskun, F. (2002) Trakya'nın değişik yörelerinde üretilen ev tarhanalarının kimyasal, mikrobiyolojik ve duyuşal özellikleri üzerine bir araştırma. <i>Gıda Mühendisliği Dergisi</i>. 12, pp. 48-52.</p> <ul style="list-style-type: none"> ➤ Tamer, CE; Kumral, A; Asan, M; Sahin, I (2007) Chemical compositions of traditional Tarhana having different formulations JOURNAL OF FOOD PROCESSING AND PRESERVATION, 31 (1): 116-126. <p>Arici, M.; Coskun, F. (2001) Hardaliye: fermented grape juice as a traditional Turkish beverage, <i>Food Microbiology</i>, 18(4), pp. 417-421.</p> <ul style="list-style-type: none"> ○ Lundstrom, HS; Bjorkroth, J (2007) Lactic acid bacteria in marinades used for modified atmosphere packaged broiler chicken meat products JOURNAL OF FOOD PROTECTION, 70 (3): 766-770. 	3
38	Coskuntuna, Levent	Assist. Prof. Dr.	Department of Animal Science	2	2	2	4	<p>Sayan, Y., Ozkul, H.; Alcicek, A.; Coskuntuna, L.; Onenc, S. S.; Polat, M. (2004) Comparison of parameters using for determination of metabolizable energy value of the roughages; Kaba yemlerin metabolik enerji degerlerinin belirlenmesinde kullanilabilecek parametrelerin karsilastirilmesi, <i>Journal of Agricultural Faculty of Ege University, Ege Üniversitesi Ziraat Fakültesi Dergisi</i>, 41(2), pp. 167-175.</p> <ul style="list-style-type: none"> ○ Ozkul, H; Sayan, Y; Polat, M; Kilic, A (2007) In vitro parameters as predictors of metabolizable energy values of roughages JOURNAL OF APPLIED ANIMAL RESEARCH, 31 (1): 85-88. <p>Yurtman, I. Y.; Savas, T.; Karaagac, F.; Coskuntuna, L. (2002) Effects of daily protein intake levels on the oral stereotypic behaviours in energy restricted lambs, <i>Applied Animal Behaviour Science</i>, 77(1), pp. 77-88.</p> <ul style="list-style-type: none"> ○ McGreevy, PD; George, S; Thomson, PC (2007) A note on the effect of changes in flooring on the behaviour of housed rams APPLIED ANIMAL BEHAVIOUR SCIENCE, 107 (3-4): 355-360. 	1

39	Gecgel, Umit	Assist. Prof. Dr.	Department of Food Engineering	2	2	2	4	<p>Gecgel, U.; Demirci, M.; Esendal, E.; Tasan, M. (2007) Fatty acid composition of the oil from developing seeds of different varieties of safflower (<i>carthamus tinctorius</i> L.), <i>Journal of the American Oil Chemists' Society</i>, 84(1), pp. 47-54.</p> <ul style="list-style-type: none"> ○ Haghighi, B; Feizy, J; Kakhki, AH (2007) LC determination of adulterated saffron prepared by adding styles colored with some natural colorants <i>CHROMATOGRAPHIA</i>, 66 (5-6): 325-332. <p>Yilmaz, I.; Gecgel, U. (2007) Effects of gamma irradiation on trans fatty acid composition in ground beef, <i>Food Control</i>, 18(6), pp. 635-638.</p> <ul style="list-style-type: none"> ○ Erkan, N; Ozden, O (2007) The changes of fatty acid and amino acid compositions in sea bream (<i>Sparus aurata</i>) during irradiation process Source: <i>RADIATION PHYSICS AND CHEMISTRY</i>, 76 (10): 1636-1641. 	2
40	Gonulol, Erkan	Assist. Prof. Dr.	Department of Agricultural Machines	1	2	2	4	<p>Bayhan, Y.; Kayisoglu, B.; Gonulol, E. (2002) Effect of soil compaction on sunflower growth, <i>Soil and Tillage Research</i>, 68(1), pp. 31-38.</p> <ul style="list-style-type: none"> ○ Hyatt, J; Wendroth, O; Egli, DB; TeKrony, DM (2007) Soil compaction and soybean seedling emergence <i>CROP SCIENCE</i>, 47 (6): 2495-2503. ○ Godefroid, S; Monbaliu, D; Massant, W; Van Der Aa, B; De Vos, B; Quivy, V; Koedam, N (2007) Effects of soil mechanical treatments combined with bramble and bracken control on the restoration of degraded understory in an ancient beech forest <i>ANNALS OF FOREST SCIENCE</i>, 64 (3): 321-331. 	2
41	Ozder, Nihal	Prof. Dr.	Department of Plant Protection	4	4	2	4	<p>Ozder, N.; Saglam, O. (2003) Effects of aphid prey on larval development and mortality of <i>adalia bipunctata</i> and <i>coccinella septempunctata</i> (coleoptera: coccinellidae), <i>Biocontrol Science and Technology</i>, 13(4), pp. 449-453.</p> <ul style="list-style-type: none"> ○ Phoofolo, MW; Glies, KL; Elliott, NC; Quantitative evaluation of suitability of the greenbug, <i>Schizaphis graminum</i>, and the bird cherry-oat aphid, <i>Rhopalosiphum padi</i>, as prey for <i>Hippodamia convergens</i> (Coleoptera : Coccinellidae) <i>BIOLOGICAL CONTROL</i>, 41 (1): 25-32. <p>Ozder, N. (2002) Development and fecundity of <i>sitobion avenae</i> on some wheat cultivars under laboratory conditions, <i>Photoparasitica</i>, 30(4), pp. 434-436.</p> <ul style="list-style-type: none"> ○ Ozder, N; Saglam, O; Guven, A; Aydin, V (2007) Effect of temperature on development, mortality, fecundity and reproduction of <i>Tuberolachnus salignus</i> on weeping willow (<i>Salix babylonica</i>) and corkscrew willow (<i>Salix matsudana</i>) <i>PHYTOPARASITICA</i>, 35 (4): 386-391. <p>Ozder, N. (2002) Preliminary investigations on <i>anisoplia</i> species (col.: scarabaeoidea) and their distributions on wheat fields in Tekirdag Province, <i>Pakistan Journal of Plant</i></p>	3

								<p><i>Pathology</i>, 1(1), pp. 8-8.</p> <ul style="list-style-type: none"> ○ Jameson, ML; Mico, E; Galante, E (2007) Evolution and phylogeny of the scarab subtribe anisopliina (Coleoptera : Scarabaeidae : Rutelinae : Anomalini) SYSTEMATIC ENTOMOLOGY, 32 (3): 429-449. <p>Ozder, N. (2002) Development and fecundity of sitobion avenae (f.) (hom.: aphididae) on some wheat cultivars in laboratory conditions, <i>Pakistan Journal of Plant Pathology</i>, 1(1), pp. 9-10.</p> <ul style="list-style-type: none"> ○ Jameson, ML; Mico, E; Galante, E (2007) Evolution and phylogeny of the scarab subtribe anisopliina (Coleoptera : Scarabaeidae : Rutelinae : Anomalini) SYSTEMATIC ENTOMOLOGY, 32 (3): 429-449. 	
42	Adiloglu, Aydin	Assoc. Prof. Dr.	Department of Soil Science	1	1	1	2	<p>Adiloglu, A. (2003) Effect of EDTA on the extractability of Zinc (Zn), Cadmium (Cd), and Nickel (Ni) in vertisol and alluvial soils, <i>Eurasian Soil Science</i>, 36(11), pp. 1197-1200.</p> <ul style="list-style-type: none"> ○ Pastor, J; Aparicio, AM; Gutierrez-Maroto, A; Hernandez, AJ (2007) Effects of two chelating agents (EDTA and DTPA) on the autochthonous vegetation of a soil polluted with Cu, Zn and Cd SCIENCE OF THE TOTAL ENVIRONMENT, 378 (1-2): 114-118. 	
43	Akdemir, Bahattin	Prof. Dr.	Department of Agricultural Machines	1	1	1	2	<p>Kayisoglu, B.; Kocabiyik, H.; Akdemir, B. (2004) The effect of moisture content on the thermal conductivities of some cereal grains, <i>Journal of Cereal Science</i>, 39(1), pp. 147-150.</p> <ul style="list-style-type: none"> ○ Muramatsu, Y; Tagawa, A; Sakaguchi, E; Kasai, T (2007) Prediction of thermal conductivity of kernels and a packed bed of brown rice JOURNAL OF FOOD ENGINEERING, 80 (1): 241-248. 	
44	Akdeniz, Rafet	Assist. Prof. Dr.	Department of Electronics and Communication	1	1	1	2	<p>Akdeniz, R.; Yarman, S. (2005) A novel method to represent speech signals, <i>Signal Processing</i>, 85(1), pp. 37-50. [</p> <ul style="list-style-type: none"> ○ Guz U, Gurkan H, Yarman BS (2007) A new method to represent speech signals via predefined signature and envelope sequences, EURASIP JOURNAL ON ADVANCES IN SIGNAL PROCESSING : Art. No. 56382. 	
45	Aksoy, Safak	Former	Department of Agricultural Economics	1	1	1	2	<p>Aksoy, S.; Erdener, K. (1994) Export behaviour of fresh produce marketers: towards a co-ordination with general theory of exporting, <i>International Marketing Review</i>, 11(2), pp. 16-32.</p> <ul style="list-style-type: none"> ○ Vila, N (Vila, Natalia); Kuster, I (Kuster, Ines) (2007) The importance of innovation in international textile firms EUROPEAN JOURNAL OF MARKETING, 41 (1-2): 17-36. 	
46	Aktas, Turkan	Assist. Prof. Dr.	Department of Agricultural	2	3	1	2	<p>Yamamoto, S.; Morihiro, T.; Ariyoshi, K.; Aktas, T. (2005) Effects of surface concentration on drying behavior of carbohydrate solutions, <i>Drying Technology</i>, 23(6),</p>	

			Machines					<p>pp. 1319-1330.</p> <ul style="list-style-type: none"> ○ Adhikari B, Howes T, Bhandari BR (2007) Use of solute fixed coordinate system and method of lines for prediction of drying kinetics and surface stickiness of single droplet during convective drying, <i>CHEMICAL ENGINEERING AND PROCESSING</i> 46 (5): 405-419 Sp. Iss. SI. ○ Aktas, T; Fujii, S; Yamamoto, S (2007) Water diffusion and Desorption Behavior during low-temperature drying of foods <i>JOURNAL OF CHEMICAL ENGINEERING OF JAPAN</i>, 40 (2): 168-172 <p>Aktas, T.; Yamamoto, S.; Fujii, S. (2004) Effects of pre-treatments on rehydration properties and microscopic structure changes of dried vegetables, <i>Japan Journal of Food Engineering</i>, 5(4), pp. 267-272</p> <ul style="list-style-type: none"> ○ Aktas, T; Fujii, S; Kawano, Y; Yamamoto, S (2007) Effects of pretreatments of sliced vegetables with trehalose on drying characteristics and quality of dried products <i>FOOD AND BIOPRODUCTS PROCESSING</i>, 85 (C3): 178-183. 	
47	Altintas, Sureyya	Assist. Prof. Dr.	Department of Horticulture	1	1	1	2	<p>Bal, U.; Altintas, S. (2006) Effects of Trichoderma harzianum on yield and fruit quality of tomato plants (<i>Lycopersicon esculentum</i>) grown in an unheated greenhouse, <i>Australian Journal of Experimental Agriculture</i>, 46(1), pp. 131-136.</p> <ul style="list-style-type: none"> ○ Di Marco, S.; Osti, F. (2007) Applications of Trichoderma to prevent Phaeomoniella chlamydospora infections in organic nurseries, <i>PHYTOPATHOLOGIA MEDITERRANEA</i>, 46 (1): 73-83. 	
48	Arin, Levent	Prof. Dr.	Department of Horticulture	1	1	1	2	<p>Arin, L.; Kiyak, Y. (2003) Effects of pre-sowing treatments on emergence and seedling growth of tomato seed (<i>Lycopersicon esculentum</i> mill.) under several stress conditions, <i>Pakistan Journal of Biological Sciences</i>, 6(11), pp. 990-994.</p> <ul style="list-style-type: none"> ○ Jain, N; Van Staden, J (2007) The potential of the smoke-derived compound 3-methyl-2H-furo[2,3-c]pyran-2-one as a priming agent for tomato seeds <i>SEED SCIENCE RESEARCH</i>, 17 (3): 175-181. 	
49	Arslan, Burhan	Prof. Dr.	Department of Fields Crops	1	1	1	2	<p>Arslan, B.; Okumus, A. (2006) Genetic and geographic polymorphism of cultivated tobaccos (<i>Nicotiana tabacum</i>) in Turkey, <i>Russian Journal of Genetics</i>, 42(5), pp. 667-671.</p> <ul style="list-style-type: none"> ○ Yang, BC; Xiao, BG; Chen, XJ; Shi, CH (2007) Assessing the genetic diversity of tobacco germplasm using intersimple sequence repeat and inter-retrotransposon amplification polymorphism markers, <i>ANNALS OF APPLIED BIOLOGY</i>, 150 (3): 393-401. 	
50	Atakisi, İbrahim K.	Prof. Dr. (Ret.)	Department of Field Crops	1	1	1	2	<p>Kaya, Y.; Atakisi, I. (2003) Path and correlation analysis in different yield characters in sunflower (<i>Helianthus annuus</i> L.); [Ayciceginde (<i>Helianthus annuus</i> L.) degisik verim ogelerinde path ve korelasyon analizi], <i>Anadolu, Journal of Aegean Agricultural</i></p>	

								<i>Research Institute</i> , [Ege Tarımsal Araştırma Enstitüsü Dergisi], 13(1), pp. 31-45. <ul style="list-style-type: none"> ○ Kaya, Y; Gucer, T. (2007) Determining the relationships between yield and yield attributes in sunflower TURKISH JOURNAL OF AGRICULTURE AND FORESTRY, 31 (4): 237-244. 	
51	Azabagaoglu, M. Omer	Assist. Prof. Dr.	Department of Agricultural Economics	1	1	1	2	Azabagaoglu, M. O.; Gaytancioglu O.; Kubas A.; Erbay E. R. (2003) Analysis of the marketing structure of the dairy industry in the Trakya region and the determination of emerging issues with multidimensional scaling. [Trakya Bölgesinde süt sektörünün pazarlama yapısının analizi ve karşılaşılan sorunların çokboyutlu ölçekleme yöntemiyle belirlenmesi] <i>Turkish Journal of Agriculture and Forestry</i> , 27(2), pp. 117-122. <ul style="list-style-type: none"> ○ Akbay, C (2007) Urban households' cooking oil and fat consumption patterns in Turkey: Quality vs. Quantity QUALITY & QUANTITY, 41 (6): 851-867. 	
52	Bayhan, Erol	Asist. Prof. Dr.	Department of Plant Protection	2	2	1	2	Bayhan, E.; Olmez-Bayhan, S.; Ulusoy, M. R.; Brown, J. K. (2005) Effect of temperature on the biology of <i>Aphis punicae</i> (Passerini) (Homoptera: Aphididae) on pomegranate, <i>Environmental Entomology</i> , 34(1), pp. 22-26. <ul style="list-style-type: none"> ○ Ozder, N.; Saglam, O.; Guven, A.; Aydin, V. (2007) Effect of temperature on development, mortality, fecundity and reproduction of <i>Tuberolachnus salignus</i> on weeping willow (<i>Salix babylonica</i>) and corkscrew willow (<i>Salix matsudana</i>), <i>PHYTOPARASITICA</i>, 35 (4): 386-39. <p>Olmez, S.; Bayhan, E.; Ulusoy, M. R. (2003) Effect of different temperatures on the biological parameters of <i>Macrosiphum rosae</i> (L.) (Homoptera: Aphididae) <i>Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz-Journal of Plant Diseases and Protection</i>, 110(2), pp. 203-208.</p> <ul style="list-style-type: none"> ○ Mehrparvar, M; Hatami, B (2007) Effect of temperature on some biological parameters of an Iranian population of the Rose Aphid, <i>Macrosiphum rosae</i> (Homoptera : Aphididae) <i>EUROPEAN JOURNAL OF ENTOMOLOGY</i>, 104 (3): 631-634. 	
53	Cangir, Cemil	Prof. Dr.	Department of Soil Science	1	1	1	2	Kapur, S.; Dinc, U.; Cangir, C. (1991) Inherited smectitic nodules in basaltic soils. <i>Turkish Journal of Engineering and Environmental Sciences [Türk Mühendislik ve Çevre Bilimleri Dergisi]</i> . 15(3), pp. 259-264. <ul style="list-style-type: none"> ○ Arocena, JM; Siddique, T; Thring, RW; Kapur, S (2007) Investigation of lichens using molecular techniques and associated mineral accumulations on a basaltic flow in a Mediterranean environment <i>CATENA</i>, 70 (3): 356-365 	
54	Dogaroglu, Muhsin	Prof. Dr. (ret.)	Department of Animal Science	1	1	1	2	<i>Dogaroglu, M.;</i> Ozder, M.; Polat, C. (1992) Comparisons on performance of important Turkish honey bee (<i>Apis mellifera</i> L.) races and ecotypes in the Thrace region.	

								[Türkiye'deki önemli bal arısı (<i>Apis mellifera</i> L.) ırk ve ekotiplerinin Trakya koşullarında performanslarının karşılaştırılması] <i>Turkish Journal of Veterinary and Animal Sciences, Turk Veterinerlik ve Hayvancılık Dergisi</i> , 16(2), pp. 403-414. <ul style="list-style-type: none"> ○ Akyol, E; Yeninar, H; Karatepe, M; Karatepe, B; Ozkok, D (2007) Effects of queen ages on Varroa (<i>Varroa destructor</i>) infestation level in honey bee (<i>Apis mellifera caucasica</i>) colonies and colony performance <i>ITALIAN JOURNAL OF ANIMAL SCIENCE</i>, 6 (2): 143-149. 	
55	Erbay, E. REcep	Assist. Prof. Dr.	Department of Agricultural Economics	1	1	1	2	Azabagaoglu, M. O.; Gaytancioglu O.; Kubas A.; Erbay E. R. (2003) Analysis of the marketing structure of the dairy industry in the Trakya region and the determination of emerging issues with multidimensional scaling. [Trakya Bölgesinde süt sektörünün pazarlama yapısının analizi ve karşılaşılan sorunların çokboyutlu ölçekleme yöntemiyle belirlenmesi] <i>Turkish Journal of Agriculture and Forestry</i> , 27(2), pp. 117-122. <ul style="list-style-type: none"> ○ Akbay, C (2007) Urban households' cooking oil and fat consumption patterns in Turkey: Quality vs. Quantity <i>QUALITY & QUANTITY</i>, 41 (6): 851-867. 	
56	Esendal, Enver	Prof. Dr.	Department of Field Crops	1	1	1	2	Gegel, U.; Demirci, M.; Esendal, E.; Tasan, M. (2007) Fatty acid composition of the oil from developing seeds of different varieties of safflower (<i>carthamus tinctorius</i> L.), <i>Journal of the American Oil Chemists' Society</i> , 84(1), pp. 47-54. <ul style="list-style-type: none"> ○ Haghighi, B; Feizy, J; Kakhki, AH (2007) LC determination of adulterated saffron prepared by adding styles colored with some natural colorants <i>CHROMATOGRAPHIA</i>, 66 (5-6): 325-332. 	
57	Gaytancioglu, Okan	Assist. Prof. Dr.	Department of Agricultural Economics	1	1	1	2	Azabagaoglu, M. O.; Gaytancioglu O.; Kubas A.; Erbay E. R. (2003) Analysis of the marketing structure of the dairy industry in the Trakya region and the determination of emerging issues with multidimensional scaling. [Trakya Bölgesinde süt sektörünün pazarlama yapısının analizi ve karşılaşılan sorunların çokboyutlu ölçekleme yöntemiyle belirlenmesi] <i>Turkish Journal of Agriculture and Forestry</i> , 27(2), pp. 117-122. <ul style="list-style-type: none"> ○ Akbay, C (2007) Urban households' cooking oil and fat consumption patterns in Turkey: Quality vs. Quantity <i>QUALITY & QUANTITY</i>, 41 (6): 851-867. 	
58	Gunes, Elcin H.	Res. Assist.	Department of Environmental Engineering	1	1	1	2	Dincer, A. R.; Gunes, E.; Karakaya, N.; Gunes, Y. (2007) Comparison of activated carbon and bottom ash for removal of reactive dye from aqueous solution, <i>Bioresource Technology</i> , 98(4), pp. 834-839. <ul style="list-style-type: none"> ○ Ugurlu, M; Gurses, A; Dogar, C (2007) Adsorption studies on the treatment of textile dyeing effluent by activated carbon prepared from olive stone by ZnCl₂ activation <i>COLORATION TECHNOLOGY</i>, 123 (2): 106-114. 	

59	Gunes, Yalcin	Assist. Prof. Dr.	Department of Environmental Engineering	1	1	1	2	<p>Dincer, A. R.; Gunes, E.; Karakaya, N.; Gunes, Y. (2007) Comparison of activated carbon and bottom ash for removal of reactive dye from aqueous solution, <i>Bioresource Technology</i>, 98(4), pp. 834-839.</p> <ul style="list-style-type: none"> ○ Ugurlu, M; Gurses, A; Dogar, C (2007) Adsorption studies on the treatment of textile dyeing effluent by activated carbon prepared from olive stone by ZnCl₂ activation COLORATION TECHNOLOGY, 123 (2): 106-114.
60	Gurcan, E. kemal	Assist. Prof. Dr.	Department of Animal Science	1	1	1	2	<p>Soysal, M. I.; Ozkan, E.; Gurcan, E. K. (2003) The status of native farm animal genetic diversity in Turkey and in the world, <i>Journal of Animal Science, Zhivotnov'dni Nauki</i>, 40(5), pp. 7-16.</p> <ul style="list-style-type: none"> ○ Kul, S; Seker, I (2007) Fertility and wool properties in East Friesian x Awassi crossbred (F-1) ewes JOURNAL OF APPLIED ANIMAL RESEARCH, 32 (1): 73-75.
61	Karakaya, Nusret	Res. Assist.	Department of Environmental Engineering	1	1	1	2	<p>Dincer, A. R.; Gunes, E.; Karakaya, N.; Gunes, Y. (2007) Comparison of activated carbon and bottom ash for removal of reactive dye from aqueous solution, <i>Bioresource Technology</i>, 98(4), pp. 834-839.</p> <ul style="list-style-type: none"> ○ Ugurlu, M; Gurses, A; Dogar, C (2007) Adsorption studies on the treatment of textile dyeing effluent by activated carbon prepared from olive stone by ZnCl₂ activation COLORATION TECHNOLOGY, 123 (2): 106-114.
62	Korkut, Kayihan, Z.	Prof. Dr.	Department of Field Crops	1	1	1	2	<p>Korkut, K. Z.; Baser, I. (1993) Researches on genotype x environment interactions and stability parameters of grain yield in bread wheat (<i>Triticum aestivum</i> L.). [Ekmeklik bugdayda genotip x cevre interaksyonu ve tane veriminin stabilitesi uzerine arastirmalar]. <i>Journal of Tekirdag Agricultural Faculty</i> 2 (2), pp. 63-68.</p> <ul style="list-style-type: none"> ○ Korkut, KZ; Bilgin, O; Baser, I; Saglam, N. (2007) Stability of grain vitreousness in durum wheat (<i>Triticum durum</i> L. Desf.) genotypes in the north-western region of Turkey TURKISH JOURNAL OF AGRICULTURE AND FORESTRY, 31 (5): 313-318.
63	Kubas, Ahmet	Assoc. Prof. Dr.	Department of Agricultural Economics	1	1	1	2	<p>Azabagaoglu, M. O.; Gaytancioglu O.; Kubas A.; Erbay E. R. (2003) Analysis of the marketing structure of the dairy industry in the Trakya region and the determination of emerging issues with multidimensional scaling. [Trakya Bölgesinde süt sektörünün pazarlama yapısının analizi ve karşılaşılan sorunların çokboyutlu ölçekleme yöntemiyle belirlenmesi] <i>Turkish Journal of Agriculture and Forestry</i>, 27(2), pp. 117-122.</p> <ul style="list-style-type: none"> ○ Akbay, C (2007) Urban households' cooking oil and fat consumption patterns in Turkey: Quality vs. Quantity QUALITY & QUANTITY, 41 (6): 851-867.

64	Mirik, Mustafa	Res. Assist. Dr.	Department of Plant Protection	1	1	1	2	<p>Mirik, M.; Aysan, Y.; Cinar, O. (2005) Prevalence and incidence of bacterial spot disease caused by <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> on pepper in the Eastern Mediterranean Region of Turkey. <i>Pakistan Journal of Biological Sciences</i>, 8(12), pp. 1656-1658.</p> <ul style="list-style-type: none"> ○ Mirik, M.; Aysan, Y.; Cinar, O (2007) Copper-resistant strains of <i>Xanthomonas axonopodis</i> pv. <i>vesicatoria</i> (Doidge) Dye in the eastern Mediterranean region of Turkey JOURNAL OF PLANT PATHOLOGY, 89 (1): 153-154
65	Okursoy, hakan	Res.Assist.	Department of Agricultural Structures and Irrigation	1	1	1	2	<p>Erdem, T.; Erdem, Y.; Orta, H.; Okursoy, H. (2006) Water-yield relationships of potato under different irrigation methods and regimens, <i>Scientia Agricola</i>, 63(3), pp. 226-231.</p> <ul style="list-style-type: none"> ○ Ferreira TC, Goncalves DA (2007) Crop-yield/water-use production functions of potatoes (<i>Solanum tuberosum</i>, L.) grown under differential nitrogen and irrigation treatments in a hot, dry climate AGRICULTURAL WATER MANAGEMENT 90 (1-2): 45-55.
66	Onenc, Sibel-Soycan	Res. Assist.	Department of Animal Science	1	1	1	2	<p>Sayan, Y., Ozkul, H.; Alcicek, A.; Coskuntuna, L.; Onenc, S. S.; Polat, M. (2004) Comparison of parameters using for determination of metabolizable energy value of the roughages; Kaba yemlerin metabolik enerji degerlerinin belirlenmesinde kullanilabilecek parametrelerin karsilastirilmesi, <i>Journal of Agricultural Faculty of Ege University, Ege Üniversitesi Ziraat Fakültesi Dergisi</i>, 41(2), pp. 167-175.</p> <ul style="list-style-type: none"> ○ Ozkul, H; Sayan, Y; Polat, M; Kilic, A (2007) In vitro parameters as predictors of metabolizable energy values of roughages JOURNAL OF APPLIED ANIMAL RESEARCH, 31 (1): 85-88.
67	Orak, H. Hulya	Assist. Prof. Dr.	Tekirdag Vocational College	1	1	1	2	<p>Orak, H. H. (2006) Determination of starch and maltose content in some hybrid maize varieties by using HPLC, <i>Cereal Research Communications</i>, 34(4), pp. 1261-1266.</p> <ul style="list-style-type: none"> ○ Voca, N; Kricka, T; Janusic, V; Matin, A (2007) Bioethanol production from corn kernel grown with different cropping intensities CEREAL RESEARCH COMMUNICATIONS, 35 (2): 1309-1312 Part 2.
68	Ozder, Muhittin	Prof. Dr.	Department of Animal Science	1	1	1	2	<p><i>Dogaroglu, M.;</i> Ozder, M.; Polat, C. (1992) Comparisons on performance of important Turkish honey bee (<i>Apis mellifera</i> L.) races and ecotypes in the Thrace region. [Turkiye'deki önemli bal arisi (<i>Apis mellifera</i> L.) ırk ve ekotiplerinin trakya kosullarında performananslarının karsilastirilmesi] <i>Turkish Journal of Veterinary and Animal Sciences, Turk Veterinerlik ve Hayvancilik Dergisi</i>, 16(2), pp. 403-414.</p> <ul style="list-style-type: none"> ○ Akyol, E; Yeninar, H; Karatepe, M; Karatepe, B; Ozkok, D (2007) Effects of queen ages on Varroa (<i>Varroa destructor</i>) infestation level in honey bee (<i>Apis mellifera caucasica</i>) colonies and colony performance ITALIAN JOURNAL OF ANIMAL SCIENCE, 6 (2): 143-149.

69	Ozduven, M. Levent	Assist. Prof. Dr.	Department of Animal Science	1	1	1	2	<p>Ozduven, M. L.; Ogun, S. (2006) The effects of wet brewers grain-whole plant sunflower mixture silages on fermentation characteristics and nutrient digestibility in lambs, [Yaş bira posası-ayçiçeği hasılı karışım silajlarında fermantasyon özellikleri ve toklarda ham besin maddelerinin sindirilebilirliği üzerine etkileri] <i>Journal of Tekirdag Agricultural Faculty</i>, 3(3), pp. 245-252.</p> <ul style="list-style-type: none"> ○ Aguilera-Soto, JI; Ramirez, RG; Arechiga, CF; Lopez, MA; Banuelos, R; Duran, M; Rodriguez, E (2007) Influence of wet brewers grains on rumen fermentation, digestion and performance in growing lambs, <i>JOURNAL OF ANIMAL AND VETERINARY ADVANCES</i>, 6 (5): 641-645.
70	Ozman-Sullivan, Sebahat	Assoc. Prof. Dr. (former)	Corlu Vocational College	3	3	1	2	<p>Bayartogtokh, B.; Cobanoglu, S., <i>Ozman, S. K.</i> (2002) Oribatid mites of the superfamily Ceratozetoidae (Acari: Oribatida) from Turkey, <i>Acarina, Russian Journal of Acarology</i>, 10(1), pp. 3-23.</p> <ul style="list-style-type: none"> ○ Erman, O; Ozkan, M; Ayyildiz, N; Dogan, S (2007) Checklist of the mites (Arachnida : Acari) of Turkey. Second supplement <i>ZOOTAXA</i>, (1532): 1-21. <p>Cobanoglu, S., Bayram, S.; <i>Ozman, S. K.</i> (2002) Zerconidae and Uropodidae (Acari, Gamasina) species from Turkey. <i>Phytophaga</i>, 12, pp. 3-8.</p> <ul style="list-style-type: none"> ○ Erman, O; Ozkan, M; Ayyildiz, N; Dogan, S (2007) Checklist of the mites (Arachnida : Acari) of Turkey. Second supplement <i>ZOOTAXA</i>, (1532): 1-21. <p><i>Ozman, S. K.</i>; Cobanoglu, S. (2001) Current status of hazelnut mites in Turkey. <i>Acta Horticulturae</i>, 556, pp. 479-487</p> <ul style="list-style-type: none"> ○ Erman, O; Ozkan, M; Ayyildiz, N; Dogan, S (2007) Checklist of the mites (Arachnida : Acari) of Turkey. Second supplement, <i>ZOOTAXA</i>, (1532): 1-21.
71	Polat, Cemal	Assist. Prof. Dr.	Department of Animal Science	1	1	1	2	<p><i>Dogaroglu, M.; Ozder, M.; Polat, C.</i> (1992) Comparisons on performance of important Turkish honey bee (<i>Apis mellifera</i> L.) races and ecotypes in the Thrace region. [Turkiye'deki önemli bal arisi (<i>Apis mellifera</i> L.) ırk ve ekotiplerinin trakya kosullarında performananslarının karşılaştırılması] <i>Turkish Journal of Veterinary and Animal Sciences, Turk Veterinerlik ve Hayvancılık Dergisi</i>, 16(2), pp. 403-414.</p> <ul style="list-style-type: none"> ○ Akyol, E; Yeninar, H; Karatepe, M; Karatepe, B; Ozkok, D (2007) Effects of queen ages on Varroa (<i>Varroa destructor</i>) infestation level in honey bee (<i>Apis mellifera caucasica</i>) colonies and colony performance <i>ITALIAN JOURNAL OF ANIMAL SCIENCE</i>, 6 (2): 143-149.
72	Sabudak, Temine	Assist. Prof. Dr.	Department of Environmental	1	1	1	2	<p>SABUDAK T NATURAL PRODUCT RES 2005</p> <ul style="list-style-type: none"> ○ Sabudak, T; Isik, E; Oksuz, S (2007) Lipid constituents of <i>Trifolium</i>

			Engineering					resupinatum var. Microcephalum, NATURAL PRODUCT RESEARCH, 21(9): 828-833 Part A.
73	Saglam, Ozgur	Res.A ssist.	Department of Plant Protection	1	1	1	2	Ozder, N.; Saglam, O. (2003) Effects of aphid prey on larval development and mortality of adalia bipunctata and coccinella septempunctata (coleoptera: coccinellidae), <i>Biocontrol Science and Technology</i> , 13(4), pp. 449-453. <ul style="list-style-type: none"> o Phoofolo, MW; Glies, KL; Elliott, NC; Quantitative evaluation of suitability of the greenbug, Schizaphis graminum, and the bird cherry-oat aphid, Rhopalosiphum padi, as prey for Hippodamia convergens (Coleoptera : Coccinellidae) BIOLOGICAL CONTROL, 41 (1): 25-32.
74	Sehirali, Sezen	Prof. Dr. (Ret.)	Department of Agricultural Structures and Irrigation	1	1	1	2	Baser, I.; Sehirali, S.; Orta, A. H.; Erdem, T.; Erdem, Y.; Yorgancilar, O. (2004) Effect of different water stresses on the yield and yield components of winter wheat. <i>Cereal Research Communications</i> , 32(2), pp. 217-223. <ul style="list-style-type: none"> o Tumova, L; Rimakova, J; Tuma, J; Dusek, J. (2007) Glycyrrhiza glabra culture in vitro-saponin production CEREAL RESEARCH COMMUNICATIONS, 35 (2): 1233-1236 Part 2.
75	Sener, Mehmer	Assist. Prof. Dr.	Department of Agricultural Structures and Irrigation	1	1	1	2	Orta, A. H.; Sener, M. (2001) A study on irrigation scheduling of onion (Allium cepa L.) in Turkey. <i>Online Journal of Biological Sciences</i> , 1(8), pp. 735-736. <ul style="list-style-type: none"> o Kumar, S; Imtiyaz, M; Kumar, A (2007) Effect of differential soil moisture and nutrient regimes on postharvest attributes of onion (Allium cepa L.) SCIENTIA HORTICULTURAE, 112 (2): 121-129. o Kumar, S; Imtiyaz, M; Kumar, A; Singh, R (2007) Response of onion (Allium cepa L.) to different levels of irrigation water AGRICULTURAL WATER MANAGEMENT, 89 (1-2): 161-166.
76	Tinmaz, Esra	Res. Assist.	Department of Environmental Engineering	<u>1</u>	<u>1</u>	<u>1</u>	2	Tinmaz, E.; Demir, I. (2006) Research on solid waste management system: To improve existing situation in Çorlu Town of Turkey, <i>Waste Management</i> , 26(3), pp. 307-314. <ul style="list-style-type: none"> o Luo, TW; Ouyang, ZY; Wang, XK; Li, WF; Xu, WH (2007) Carbon discharge through municipal solid waste in Haikou, China, INTERNATIONAL JOURNAL OF SUSTAINABLE DEVELOPMENT AND WORLD ECOLOGY, 14 (5): 511-519. o Omran, A; Mahmood, A; Aziz, HA (2007) Current practice of solid waste management in Malaysia and its disposal ENVIRONMENTAL ENGINEERING AND MANAGEMENT JOURNAL, 6 (4): 295-300. o Nas, SS; Bayram, A; Bulut, VN; Gundogdu, A (2007) Heavy metals in compostable wastes: A case study in Gumushane, Turkey FRESNIUS ENVIRONMENTAL BULLETIN, 16 (9A): 1069-1075.
77	Yurtman, I. Yaman	Prof. Dr. (former)	Department of Animal Science	1	1	1	2	<i>Yurtman, I. Y.; Savas, T.; Karaagac, F.; Coskuntuna, L.</i> (2002) Effects of daily protein intake levels on the oral stereotypic behaviours in energy restricted lambs, <i>Applied</i>

								<p><i>Animal Behaviour Science</i>, 77(1), pp. 77-88.</p> <ul style="list-style-type: none"> ○ McGreevy, PD; George, S; Thomson, PC (2007) A note on the effect of changes in flooring on the behaviour of housed rams APPLIED ANIMAL BEHAVIOUR SCIENCE, 107 (3-4): 355-360. 	
78	Ates, Ertan	Res. Assist.	Department of Field Crops	3	3	0	0	<p>Tekeli, A. S.; Ates, E. (2006) Nutritive values of some annual clovers (<i>Trifolium</i> sp.) at different growth stages, <i>Cuban Journal of Agricultural Science</i>, 40(1), pp. 93-98.</p> <ul style="list-style-type: none"> ○ Kok, D; Ates, E; Korkutal, I; Bahar, E (2007) Short communication. Forage and nutritive value of the pruning residues (leaves plus summer lateral shoots) of four grapevine (<i>Vitis vinifera</i> L.) cultivars at grape harvest and two post-harvest dates SPANISH JOURNAL OF AGRICULTURAL RESEARCH, 5 (4): 517-521. <p>Ates, E.; Tekeli, A. S. (2005) Forage quality and tetany potential of orchardgrass (<i>Dactylis glomerata</i> L.) and white clover (<i>Trifolium repens</i> L.) mixtures, <i>Cuban Journal of Agricultural Science</i>, 39(1), pp. 97-102.</p> <ul style="list-style-type: none"> ○ Kok, D; Ates, E; Korkutal, I; Bahar, E (2007) Short communication. Forage and nutritive value of the pruning residues (leaves plus summer lateral shoots) of four grapevine (<i>Vitis vinifera</i> L.) cultivars at grape harvest and two post-harvest dates SPANISH JOURNAL OF AGRICULTURAL RESEARCH Volume: 5 Issue: 4 Pages: 517-521. <p>Tekeli, A. S.; Avcioglu, R.; Ates, E. (2003) Changes in some morphological and chemical properties of Persian clover (<i>Trifolium resupinatum</i> L.) in relation to time and above-ground biomass [İran üçgülü (<i>Trifolium resupinatum</i> L.)'nde bazı morfolojik ve kimyasal özelliklerin zamana ve toprak üstü biomasına bağlı olarak değişimi], <i>Ankara University Faculty of Agriculture, Journal of Agricultural Sciences, Ankara Üniversitesi Ziraat Fakültesi Tarım Bilimleri Dergisi</i>, 9(3), pp. 352-360,</p> <ul style="list-style-type: none"> ○ Kok, D; Ates, E; Korkutal, I; Bahar, E (2007) Short communication. Forage and nutritive value of the pruning residues (leaves plus summer lateral shoots) of four grapevine (<i>Vitis vinifera</i> L.) cultivars at grape harvest and two post-harvest dates SPANISH JOURNAL OF AGRICULTURAL RESEARCH, 5 (4): 517-521. 	
79	Tekeli, A. Servet	Prof. Dr.	Department of Field Crops	3	3	0	0	<p>Tekeli, A. S.; Ates, E. (2006) Nutritive values of some annual clovers (<i>Trifolium</i> sp.) at different growth stages, <i>Cuban Journal of Agricultural Science</i>, 40(1), pp. 93-98.</p> <ul style="list-style-type: none"> ○ Kok, D; Ates, E; Korkutal, I; Bahar, E (2007) Short communication. Forage and nutritive value of the pruning residues (leaves plus summer lateral shoots) of four grapevine (<i>Vitis vinifera</i> L.) cultivars at grape harvest and two post-harvest dates SPANISH JOURNAL OF AGRICULTURAL RESEARCH, 5 (4): 517-521. 	

								<p>Ates, E.; Tekeli, A. S. (2005) Forage quality and tetany potential of orchardgrass (<i>Dactylis glomerata</i> L.) and white clover (<i>Trifolium repens</i> L.) mixtures, <i>Cuban Journal of Agricultural Science</i>, 39(1), pp. 97-102.</p> <ul style="list-style-type: none"> ○ Kok, D; Ates, E; Korkutal, I; Baharl, E (2007) Short communication. Forage and nutritive value of the pruning residues (leaves plus summer lateral shoots) of four grapevine (<i>Vitis vinifera</i> L.) cultivars at grape harvest and two post-harvest dates SPANISH JOURNAL OF AGRICULTURAL RESEARCH Volume: 5 Issue: 4 Pages: 517-521. <p>Tekeli, A. S.; Avcioglu, R.; Ates, E. (2003) Changes in some morphological and chemical properties of Persian clover (<i>Trifolium resupinatum</i> L.) in relation to time and above-grounds biomass [İran üçgülü (<i>Trifolium resupinatum</i> L.)'nde bazı morfolojik ve kimyasal özelliklerin zamana ve toprak üstü biomasına bağlı olarak değişimi], <i>Ankara University Faculty of Agriculture, Journal of Agricultural Sciences, Ankara Üniversitesi Ziraat Fakültesi Tarım Bilimleri Dergisi</i>, 9(3), pp. 352-360,</p> <ul style="list-style-type: none"> ○ Kok, D; Ates, E; Korkutal, I; Baharl, E (2007) Short communication. Forage and nutritive value of the pruning residues (leaves plus summer lateral shoots) of four grapevine (<i>Vitis vinifera</i> L.) cultivars at grape harvest and two post-harvest dates SPANISH JOURNAL OF AGRICULTURAL RESEARCH, 5 (4): 517-521. 	
--	--	--	--	--	--	--	--	--	--